

ATOMS AND MOLECULES

Atoms

Smallest particle which takes part in a chemical reaction, e.g. H, O, Na, Fe, Ag, Au, Ba, etc.,

It may or may not exist freely

It is the smallest unit of elements

Molecules

It is made up of two or more atoms

It is smallest unit of compound

It is capable of free existence

Atomicity of Molecules

Number of atoms present in a molecule

Penta-atomic

Mono atoms [Single atom]

He, Ne, Ar, Kr, Xe, Rn, Na

Hexa-atomic

CH_3OH, PCl_5, C_2H_4

Diatomic [Made of 2 atoms]

$O_2, N_2, H_2, Br_2, I_2, Cl_2, F_2$, etc

Hepta-atomic

SF_6, P_2O_5

Triatomic

$O_3, H_2O, H_2S, CO_2, CS_2, SO_2$

Octa-atomic

S_8, C_2H_6, C_2H_5O

Tetra atomic

$P_4, NH_3, PH_3, PCl_3, NF_3, SO_3$

$CH_4, CCl_4, SiCl_4, SiF_4$

Mole Concept

1 mole = 6.022×10^{23} particles

No. of Moles

$$= \frac{\text{Mass}}{\text{Molar Mass}}$$

Molar Mass

= Total mass of all atoms in molecule

Mass of 1 atom

$$= \frac{\text{Molar Mass}}{6.022 \times 10^{23}}$$

Atomic Mass

= Mass of 1 atom $\times 6.022 \times 10^{23}$

* Ions

Atoms or group of atoms having charge

Cations (+ve charge)
 Al^{3+}, Mg^{2+}

Polyatomic Ions

Cations NH_4^+

Anions (-ve charge)
 Cl^-, Br^-, CO_3^{2-}

Anions

$BF_4^-, SO_4^{2-}, CO_3^{2-}, CO_3^{2-}, NO_3^-, NO_3^{2-}$

Relative Atomic Mass

No. of times given atom is heavier than $1/12^{th}$ mass of $^{12}_6C$ atom.

Law of Conservation of Mass

It states that matter can neither be created nor be destroyed in a chemical reaction. It means that the total mass of reactants must be equal to the total mass of products. That is why we balance each and every chemical reaction.

Law of Constant Proportions, [Law of Definite proportion]

It states that in a pure chemical compound, the elements are always combined in fixed [definite] proportions by mass, e.g. water, prepared from any source contains hydrogen and oxygen in the ratio of 2 : 16 (i.e. 1 : 8 by mass). If 18g of H_2O is decomposed we will get 2 g of H_2 and 16 g of O_2 . Similarly, in NH_3 nitrogen and hydrogen are in the ratio of 14 : 3 by mass, whatever method or source is used for preparation of NH_3 .

Mass (g) = Mass of 1 mol \times number of moles

Number of molecules = No. of moles $\times 6.022 \times 10^{23}$

Dalton's Atomic Theory


- All matter is made up of atoms
- Atoms are tiny, indivisible and indestructible ultimate particles
- Atoms of a given element are identical in mass and chemical properties.
- Atoms of different elements have different masses and chemical properties
- Atoms combine in the ratio of small whole number to form compounds.
- Atoms are neither created nor destroyed.

Relative Molecular Mass

No. of times given molecule is heavier than $1/12^{th}$ mass of 1 atom of $^{12}_6C$ atom.

Unified Mass

Mass of $1/12^{th}$ of 1 atom of $^{12}_6C$



The symbols of the following elements are the first two letters of their full names, The first letter of a symbol is always written in capital, the second letter, if any, is a smaller letter.

The symbols of the following elements comprise the first and the third letters of their full names:

Name of Elements	Symbol	Name of Elements	Symbol
1 Beryllium	Be	23 Xenon	Xe
2 Lithium	Li	24 Barium	Ba
3 Helium	He	25 Lanthanum	La
4 Neon	Ne	26 Tantalum	Ta
5 Aluminium	Al	27 Osmium	Os
6 Silicon	Si	28 Bismuth	Bi
7 Argon	Ar	29 Polonium	Po
8 Calcium	Ca	30 Francium	Fr
9 Scandium	Sc	31 Radium	Ra
10 Titanium	Ti	32 Actinium	Ac
11 Cobalt	Co	33 Cerium	Ce
12 Nickel	Ni	34 Praseodymium	Pr
13 Gallium	Ga	35 Europium	Eu
14 Germanium	Ge	36 Dysprosium	Dy
15 Selenium	Se	37 Holmium	Ho
16 Bromine	Br	38 Erbium	Er
17 Krypton	Kr	39 Lutetium	Lu
18 Molybdenum	Mo	40 Thorium	Th
19 Rhodium	Rh	41 Americium	Am
20 Indium	In	42 Nobelium	No

Name of Elements	Symbol
1 Magnesium	Mg
2 Chlorine	Cl
3 Chromium	Cr
4 Manganese	Mn
5 Zinc	Zn
6 Arsenic	As
7 Rubidium	Rb
8 Strontium	Sr
9 Zirconium	Zr
10 Technetium	Tc
11 Rhenium	Re
12 Astatine	At
13 Samarium	Sm
14 Gadolinium	Gd
15 Neptunium	Np
16 Plutonium	Pu
17 Cadmium	Cd
18 Caesium	Cs
19 Hafnium	Hf

The symbol of the following elements comprise the first and the fourth letters of their full names

Name of Elements	Symbols
1. Einsteinium	Es
2. Fermium	Fm
3. Neodymium	Nd
4. Niobium	Nb
5. Platinum	Pt
6. Promethium	Pm
7. Terbium	Tb
8. Thallium	Tl
9. Berkelium	Bk

The following symbols are derived from Latin names of elements

Name of Elements	Latin Names	Symbols
1. Copper	Cuprum	Cu
2. Iron	Ferrum	Fe
3. Lead	Plumbum	Pb
4. Mercury	Hydrargyrum	Hg
5. Potassium	Kalium	K
6. Silver	Argentum	Ag
7. Tin	Stannum	Sn
8. Antimony	Stibium	Sb
9. Sodium	Natrium	Na
10. Gold	Aurum	Au
11. Tungsten	Wolfram	W

List of Common Electropositive Radicals

Monovalent	Divalent	Trivalent	Tetravalent	
Hydrogen, H^+ Sodium, Na^+ Potassium, K^+ Cuprous, Cu Mercurous, Hg^+ Silver, Ag^+ Ammonium, NH_4^+ Aurous, Au^+ Lithium, Li^+ Rubidium, Rb^+ Caesium, Cs^+ Nitrogen, in $N_2O(N^{1+})$	Cupric, Cu^{2+} Barium, Ba^{2+} Calcium, Ca^{2+} Mercuric, Hg^{2+} Cobalt, Co^{2+} Stannous, Sn^{2+} Nickel, Ni^{2+} Ferrous, Fe^{2+} Magnesium, Mg^{2+} Manganese, Mn^{2+} Cadmium, Cd^{2+} Strontium, Sr^{2+} Zinc, Zn^{2+} Plumbous, Pb^{2+} Beryllium, Be^{2+} Nitrogen in NO, N^{2+} Palladium, Pd^{2+}	Aluminium, Al^{3+} Ferric, Fe^{3+} Chromium, Cr^{3+} Auric, Au^{3+} Arsenious, As^{3+} Bismuth, Bi^{3+} Boron, B^{3+} Antimonous, Sb^{3+} Phosphorus, P^{3+} Nitrogen in N_2O_3, N^{3+} Gallium, Ga^{3+} Scandium, Sc^{3+}	Stannic, Sn^{4+} Plumbic, Pb^{4+} Platinum, Pl^{4+} Carbon, C^{4+} Nitrogen in NO_2 And N_2O_4, N^{4+} Silicon, Si^{4+}	Sulphur, S^{4+} in SO_2 Manganese in MnO_2, Mn^{4+}
			Pentavalent	
			Arsenic, As^{5+} Antimonic, Sb^{5+} Phosphorus, P^{5+} Vanadium, V^{5+} Nitrogen in N_2O_5, N^{5+}	

List of Common Electronegative Radicals

Monovalent	Divalent	Trivalent	Tetravalent
Fluoride, F^- Chloride, Cl^- Superoxide, O_2^- Bromide, Br^- Iodide, I^- Hydride, H^- Cyanide, CN^- Acetate, CH_3COO^- Sulphocyanide Or (thiocyanate) SCN^- Nitrite, NO_2^- Nitrate, NO_3^- Hydrogen Sulphate, HS^- Hydrogen Sulphate, HSO_3^- Hydrogen Sulphate, HSO_4^- Hydrogen carbonate, HCO_3^- Chlorate, ClO_3^- Bromate BrO_3^- Iodate, IO_3^- Hypochlorite, ClO^- Hypobromate, BrO^- Hypoiodite, IO^- Hypophosphite, $H_2PO_2^-$ Perchlorate ClO_4^- Permanganate, MnO_4^- Cyanate, CNO^- Isocyanate, NCO^- Isothiocyanate, NCS^- Meta-aluminate, AlO_2^- Hypophosphate, $H_2PO_4^-$ (Dihydrogen Phosphate)	Carbonate, CO_3^{2-} Sulphide, S^{2-} Sulphite, SO_3^{2-} Sulphate, SO_4^{2-} Thiosulphate, $S_2O_3^{2-}$ Oxide, O^{2-} Peroxide, O_2^{2-} Chromate, CrO_4^{2-} Dichromate, $Cr_2O_7^{2-}$ Oxalate, $C_2O_4^{2-}$ Manganate, MnO_4^{2-} Silicate, SiO_3^{2-} Stannite, SnO_2^{2-} Stannate, SnO_3^{2-} Zincate, ZnO_2^{2-} Plumbite, PbO_2^{2-} Plumbate, PbO_3^{2-} Hydrogen Phosphate, HPO_4^{2-}	Phosphate, PO_4^{3-} Arsenate, AsO_4^{3-} Phosphite, PO_3^{3-} Arsenite, AsO_3^{3-} Borate, BO_3^{3-} Phosphide, P^{3-} Nitride, N^{3-} Ferricyanide, $[Fe(CN)_6]^{3-}$ Boride, B^{3-} Arsenate, AsO_4^{3-}	Carbide, C^{4-} Ferrocyanide, $[Fe(CN)_6]^{4-}$ Silicide, Si^{4-} Pyrophosphate ion, $P_2O_7^{4-}$

MODERN PERIODIC TABLE

METALS

METALLOIDS

Non-Metals

GROUPS																		GROUP NUMBER										18
1	2	GROUP NUMBERS														13	14	15	16	17	2							
1 H Hydrogen 1.0	2 He Helium 4.0															5 B Boron 10.8	6 C Carbon 12.0	7 N Nitrogen 14.0	8 O Oxygen 16.0	9 F Fluorine 19.0	10 Ne Neon 20.2							
3 Li Lithium 6.9	4 Be Beryllium 9.0															13 Al Aluminium 27.0	14 Si Silicon 28.1	15 P Phosphorus 31.0	16 S Sulphur 32.1	17 Cl Chlorine 35.5	18 Ar Argon 39.9							
19 K Potassium 39.1	20 Ca Calcium 40.1	21 Sc Scandium 45.0	22 Ti Titanium 47.8	23 V Vanadium 50.9	24 Cr Chromium 52.0	25 Mn Manganese 54.9	26 Fe Iron 55.8	27 Co Cobalt 58.9	28 Ni Nickel 58.7	29 Cu Copper 63.5	30 Zn Zinc 65.4	31 Ga Gallium 69.7	32 Ge Germanium 72.6	33 As Arsenic 74.9	34 Se Selenium 79.0	35 Br Bromine 79.9	36 Kr Krypton 83.3											
37 Rb Rubidium 85.5	38 Sr Strontium 87.6	39 Y Yttrium 88.9	40 Zr Zirconium 91.2	41 Nb Niobium 92.9	42 Mo Molybdenum 95.9	43 Tc Technetium 98.0	44 Ru Ruthenium 101.1	45 Rh Rhodium 102.9	46 Pd Palladium 106.4	47 Ag Silver 107.9	48 Cd Cadmium 112.4	49 In Indium 114.8	50 Sn Tin 118.7	51 Sb Antimony 121.8	52 Te Tellurium 127.6	53 I Iodine 126.9	54 Xe Xenon 131.3											
55 Cs Cesium 132.9	56 Ba Barium 137.3	57 La Lanthanum 138.9	72 Hf Hafnium 178.5	73 Ta Tantalum 181.0	74 W Tungsten 183.9	75 Re Rhenium 186.2	76 Os Osmium 190.2	77 Ir Iridium 192.2	78 Pt Platinum 195.1	79 Au Gold 197.0	80 Hg Mercury 200.6	81 Tl Thallium 204.4	82 Pb Lead 207.2	83 Bi Bismuth 208.0	84 Po Polonium 209	85 At Astatine 210	86 Rn Radon 222											
87 Fr Francium 223	88 Ra Radium 226	89 Ac Actinium 227	104 Rf Rutherfordium 261	105 Db Dubnium 262	106 Sg Seaborgium 271	107 Bh Bohrium 272	108 Hs Hassium 270	109 Mt Meitnerium 268	110 Ds Darmstadtium 281	111 Rg Roentgenium 280	112 Cn Copernicium 285	113 Nh Nihonium 284	114 Fl Flerovium 289	115 Mc Moscovium 288	116 Lv Livermorium 293	117 Ts Tennessine 294	118 Og Oganesson 294											
<p>104 Rf Ernest Rutherford, Physicist</p> <p>105 Db Dubna, Russia where the element is first synthesized</p> <p>106 Sg Glenn T. Seaborg, Chemist</p> <p>107 Bh Neils Bohr's theory, Physicist</p> <p>108 Hs Hesse, German state where the element is first synthesized</p> <p>109 Mt Lise Meitner, Physicist</p> <p>110 Ds GSI Helmholtz Centre for Heavy Ion Research, Darmstadt, Germany.</p> <p>111 Rg Wilhelm Roentgen, Physicist, Discovered X – rays.</p>																		<p>112 Cn Nicolaus Copernicus, Astronomer.</p> <p>113 Nh The Japanese name for Japan, Nihon where the element is first synthesised</p> <p>114 Fl Georgy Flyoror, Physicist</p> <p>115 Mc Moscow oblast, Russia where the element is first synthesized</p> <p>116 Lv Lawrence Livermore National Laboratory, Livermore, California</p> <p>117 Ts Tennessee, United States</p> <p>118 Og Yuri oganessian , Physicist.</p>										
		*LANTHANOIDES		58 Ce Cerium 140.1	59 Pr Praseodymium 140.9	60 Nd Neodymium 144.2	61 Pm Promethium 145	62 Sm Samarium 150.4	63 Eu Europium 152.0	64 Gd Gadolinium 157.3	65 Tb Terbium 158.9	66 Dy Dysprosium 162.5	67 Ho Holmium 164.9	68 Er Erbium 167.3	69 Tm Thulium 168.9	70 Yb Ytterbium 173.0	71 Lu Lutetium 175.0											
		*ACTONOIDES		90 Th Thorium 232.0	91 Pa Protactiniu 231	92 U Uranium 238.0	93 Np Neptunium 237	94 Pu Plutonium 244	95 Am Americium 243	96 Cm Curium 247	97 Bk Berkelium 247	98 Cf Californium 251	99 Es Einsteinium 254	100 Fm Fermium 253	101 Md Mendelevium 258	102 No Nobelium 259	103 Lr Lawrencium 260											



Know the Terms

Law of conservation of Mass

It states that matter can neither be created nor be destroyed in a chemical reaction. It means that the total mass of reactants must be equal to the total mass of products. That is why we balance each and every chemical reaction.

This law can be verified by the following experiment

Experiment : To prove experimentally that there is no change in mass during a chemical reaction.


Materials Required : Physical balance, conical flask, small ignition tube, thread, cork to fit the flask, silver nitrate and sodium chloride.

Procedure : Prepare solution of silver nitrate in water and take it in the ignition tube.

- Prepare solution of sodium chloride in water and take it in the conical flask.
- Hang the ignition tube in the flask carefully so that the solutions do not get mixed. Put the cork on the conical flask as shown in figure
- Weight the flask with the contents carefully
- Now tilt and shake the flask so that both the solutions get mixed\
- Weigh again.

Observation : White precipitate of silver chloride is formed in the flask because chemical reaction has taken place. The mouth of flask should be covered so that the contents of solution do not spill out. The mass of flask does not change.

Conclusion : Mass of reactants remains equal to mass of products. Hence the law of conservation of mass is proved.



Experimental set up to prove law of conservation of mass

Activity / Project - 2


Topic Covered : Demonstration Based Worksheet

Objectives : To enable the students to –

- Observe and understand that the total mass of products and reactants in a chemical reaction is the same.
- Draw inference / appreciate that mass doesn't change in a chemical reaction.
- Understand the law of conservation of mass, i.e. the mass can neither be created nor be destroyed.

Procedure : Prepare the solution of barium chloride in water and take it in an ignition tube.

- ❖ Prepare solution of sodium sulphate in water and take it in a conical flask.
- ❖ Hang the ignition tube in the flask carefully so that the solutions do not get mixed, put the cork on the conical flask as shown in figure.
- ❖ Weigh the flask with the contents carefully.
- ❖ Now tilt and shake the flask so that both the solutions get mixed.
- ❖ Weigh the flask again.



Experimental set up to prove law of conservation of mass



Next Generation School

Grade IX

Lesson : 3 Atoms and Molecules

Objective Type Questions

I. Multiple choice questions

- 4.48 L of CH_4 at STP is equal to
 - 1.2×10^{22} molecules of CH_4
 - 0.5 mol of CH_4
 - 3.2 g of CH_4
 - 0.1 mol of CH_4
- Which of the following illustrates the law of conservation of mass?
 - 12g of C reacts with 32 g of O_2 to form 44 g of CO_2
 - 1.70 g of $AgNO_3$ reacts with 0.01 mol of HCl to form 1.435 g of AgCl and 0.63 g of HNO_3
 - 12 g of C is heated in vacuum and cooling there is no change in mass
 - 100 g of ice forms 100 g water liquid on melting.
- If isotopic distribution of C-12 and C-14 are 98% and 2% respectively, then number of C-14 atoms in 12g of carbon is
 - 1.032×10^{22}
 - 1.032×10^{23}
 - 3.88×10^{22}
 - 1.032×10^{22}
- An element has 8% of sulphur. What will be the minimum molecular weight of the compound?
 - 100
 - 200
 - 300
 - 400
- Identify the correct symbol of Gold.
 - Go
 - Gd
 - Ge
 - Au
- Identify the correct one from the following statements
 - Elements can be changed into simpler substances.
 - Compound has variable composition
 - The mixture has properties similar to its components.
 - Brass is a compound of Copper and Zinc

7. The combining capacity of an element is called.

- a) Valency b) Atomicity c) Atomic number d) Valence electron

8. 18 g of water is electrolysed. The weight of oxygen formed will be.

- a) 16g b) 8 g c) 4g d) 2g

9. Which is not represented by 1 mole of nitrogen gas?

- a) 6.023×10^{23} nitrogen molecules b) 22.4 L of N_2 at STP
c) 6.023×10^{23} nitrogen atoms d) 28 g of nitrogen.

10. The balancing of chemical equation is based on

- a) Law of combining volume b) Law of conservation of mass
c) Law of constant proportion d) Avogadro's Law

11. 1.5 g of hydrocarbon on combustion in excess of oxygen produces 4.4 g of CO_2 and 2.7 g of H_2O , the data illustrates

- a) Law of conservation of mass b) Law of constant proportion
c) Law of multiple proportion d) Both (a) and (b)

12. Which of the following is correct statement

- a) Na_2S is Sodium sulphide, Na_2SO_3 is Sodium sulphite and Na_2SO_4 is Sodium sulphate
b) Na_2S is Sodium sulphite, Na_2SO_3 is Sodium sulphide and Na_2SO_4 is Sodium sulphate
c) Na_2S is Sodium sulphite, Na_2SO_3 is Sodium sulphate and Na_2SO_4 is Sodium sulphide
d) Na_2S is Sodium sulphide, Na_2SO_3 is Sodium sulphate and Na_2SO_4 is Sodium thiosulphate.

13. The formula of Ammonium phosphate is

- a) $(NH_4)_3 PO_4$ b) $(NH_4)_3 PO_3$ c) $(NH_4)_3 P$ d) $(NH_4) PO_4$

14. Molecular weight of $CuSO_4 \cdot 5H_2O$ is equal to

- [Cu = 63.5 u, S=32 u, O = 16 u, H = 1 u]
a) 249.5 u b) 159.5 u c) 159.5×90 u d) $159.5 + 10 + 16u$

15. 2 moles of H molecules at STP occupy volume of

- a) 22.4 L b) 11.2 L c) 44.8 L d) 2L

16. How many moles of electrons weigh equal to one kilogram? [Mass of 1 e = 9.1×10^{-31} kg.

- a) 6.022×10^{23} b) $\frac{1}{9.108} \times 10^{31}$ c) $\frac{6.022}{9.108} \times 10^{22}$ d) $\frac{1 \times 10^8}{9.1 \times 6.022}$

17. Arrange the following in decreasing order of mass

- i. 10^{23} molecules of H_2 ii. 0.1 mol of H_2O
 iii. 0.01 mole of atoms of Nitrogen iv. 2.24 L of O_2 at STP
 a) IV, II, I, III b) IV, I, II, III c) IV, III, I, II d) IV, I, III, II

18. Arrange the following in increasing order of number of molecules.

- I. 0.5 mol of H_2 II. 4.0 g of H_2 III. 18g of H_2O IV. 2.2g CO_2
 (a) II > III > I > IV (b) IV < I < III < II
 (c) I < II < III < IV (d) IV < III < I < II

19 How many atoms are present in 52 u of He?

- (a) 13 atoms (b) $13 \times 6.022 \times 10^{23}$ atoms
 (c) $52 \times 6.022 \times 10^{23}$ atoms (d) $4 \times 6.022 \times 10^{23}$ atoms

20. The mass of sodium in 5.85g of NaCl is

- (a) 2.3 g (b) 3.5 g (c) 5.8 g (d) 0.23 g

21. The mass of magnesium oxide formed by burning 1.2 g of Mg in excess of oxygen is

- (a) 0.2 g (b) 2.0 g (c) 4.0 g (d) 1.0 g

22. Which of the following contains maximum number of atoms?

- (a) 2.0 moles of S_8 (b) 6.0 moles of S (c) 2.0 moles of SO_2 (d) 44.8 L of SO_2 at STP

23. A sample of AlF_3 contains 3.0×10^{24} F^- ions. The number of formula units of this sample is

- (a) 3.0×10^{24} (b) 1.0×10^{24} (c) 9.0×10^{24} (d) 3.0×10^{23}

24. Out of 1.0 g oxygen gas, 1.0 g of oxygen atoms and 1.0 g of ozone, the maximum number of atoms are contained in

- (a) 1.0 g of atomic oxygen (b) 1.0 g of oxygen
 (c) 1.0 g of ozone (d) All contain same number of atoms

25. Which pair of species contains same percentage of carbon?

- (a) CH_3COOH and $C_6H_{12}O_6$ (b) $C_6H_{12}O_6$ and $C_{12}H_{22}O_{11}$
 (c) CO_2 and CH_4 (d) CH_4 and C_2H_6

26. The mass of 18 ml of water (H_2O) at $4^\circ C$ is equal to

- (a) 18 g (b) $< 18 g$ (c) $> 18 g$ (d) 4 g

27. If the density of water is $1 g\ cm^{-3}$ then the volume occupied by one molecule of water is approximately

- (a) $18cm^3$ (b) $22400cm^3$ (c) $6.023 \times 10^{-23}cm^3$ (d) $2.9 \times 10^{-23}cm^3$

28. The number of atoms present in 0.5 mol of nitrogen atoms is same as in


- (a) 12 g of C (b) 24 g of Mg (c) 8 g of O (d) 32 g of S

29. $NaOH(aq) + HNO_3(aq) \longrightarrow NaNO_3(aq) + H_2O(l)$ in this reaction Nitric acid acts as

- (a) 12 g of C (b) 24 g of Mg (c) 8 g of O (d) 32 g of S

30. Activity:

- ❖ Prepare solution of barium, chloride in water and take it in an ignition tube.
- ❖ Prepare solution of sodium sulphate in water and take it in a conical flask.
- ❖ Hang the ignition tube in the flask carefully so that the solutions do not get mixed. Put the cork on the conical flask as shown in figure.
- ❖ Weigh the flask with the contents carefully.
- ❖ Now tilt and shake the flask so that both the solutions get mixed.
- ❖ Weigh again.



Which law is verified by this activity?

- a) Law of conservation of mass (b) Law of constant composition
 c) Law of multiple proportion (d) both a and b

I. Match the column

38. Match the column I with Column II

Column I	Column II
i) Quick lime	A) NaOH
ii) Baking soda	B) CaO
iii) Washing soda	C) $\text{Ca}(\text{OH})_2$
iv) Lime water	D) NaHCO_3
v) Caustic soda	E) $\text{Na}_2\text{CO}_3 \cdot 10\text{H}_2\text{O}$

i) B

ii) D

iii) E

iv) C

v) A

II. Match the column

39. Match the following:

Elements	Symbols
i) Sodium	(A) Ag
ii) Mercury	(B) Hg
iii) Lead	(C) Na
iv) Silver	(d) Pb

i) C

ii) B

ii) D

iv) A

Next Generation School

I. Fill in the blanks

40. An _____ is a positively or negatively charged atoms.

41. The _____ of an ion is equal to the charge on the ion

40. ion	41. valency
---------	-------------

I. True or False

42. 32 g of O_2 has volume equal to 22.4 L at STP.

43 0.2 mol of oxygen atom weighs equal to 3.2 g

44. 52 u of He contains 13 atoms.

42. True	43. True	44. True
----------	----------	----------

Direction (Q 45 to Q 49) : In the following Question, the Assertion and Reason have been put forward . Read the statements carefully and choose the correct alternative from the following:

- a) Both the Assertion and the Reason are correct and the Reason is the correct explanation of the Assertion
- b) The Assertion and the Reason are correct but the Reason is not the correct explanation of the Assertion.
- c) Assertion is true but the Reason is false
- d) The statement of the Assertion is false but the Reason is true.

45. Assertion : The standard unit for expressing the mass of a atom is 'u'

Reason : 'u' is also called unified mass.

- b) The Assertion and the Reason are correct but the Reason is not the correct explanation of the Assertion.

46. Assertion : Zinc is essential element for life and Cadmium is extremely toxic.

Although both belong to same group in periodic table.

Reason: Zinc is useful as it is integral part of most of the enzymes. Cadmium present in cigarette smoke, it accumulates in kidney and causes its malfunctioning. It replaces some of zinc in enzymes and thus prevents them from working.

a) Both the Assertion and the Reason are correct and the Reason is the correct explanation of the Assertion

47. Assertion: The mass of 1 atom of hydrogen is $1.66 \times 10^{-24}g$.

Reason : 1 mass of 1 atom is 1 u

b) The Assertion and the Reason are correct but the Reason is not the correct explanation of the Assertion.

48. Assertion : Water obtained by every source contains hydrogen and oxygen in the ratio of 1:8 by mass.

Reason : On electrolysis of H_2O volume of hydrogen obtained is double than that of oxygen.

b) The Assertion and the Reason are correct but the Reason is not the correct explanation of the Assertion.

49. Assertion : 52 u of He contains 13 atoms.

Reason : 4 u is mass of one atom of He

a) Both the Assertion and the Reason are correct and the Reason is the correct explanation of the Assertion

50. What is an atom ?

The smallest particle which may or may not exist in free state in nature but takes part in a chemical reaction.

51. What is a molecule?

It is made up of atoms. It exists in nature in free state.

52. Define atomicity.

Atomicity is the number of atoms present in a molecule.

53. How many atoms are present in one molecule of ozone?

Three atoms are present in 1 molecule of ozone because it is triatomic

54. Give an example of (a) triatomic (b) polyatomic molecule of elements.

- a) O_3 (Ozone) b) S_8 (Sulphur) or P_4 (Phosphorus)

55. Define the law of constant proportion

A compound prepared by any method contains the same elements in the fixed ratio by mass is the law of constant proportion.

56. What is the ratio between masses of (a) hydrogen and oxygen in H_2O (b) nitrogen and hydrogen in NH_3 ? [Atomic mass of H=1 u, =16 u, N= 14 u]

- a) H_2O b) NH_3
 2: 16 14 : 3 by mass
 1: 8 by mass

57. What is the ratio between masses of carbon and oxygen in CO_2 ?

[Atomic mass of C=12 u, O=16u]

- CO_2
 12: 32
 3: 8 BY mass.

58. As per the law of definite proportions carbon and oxygen combine in a ratio of 3: 8. Compute the mass of oxygen gas that would be required to react completely with 6 g carbon.


3g of carbon combines with 8 g of oxygen

\therefore 6 g of carbon will combine with $= \frac{8}{3} \times 6 = 16$ g of oxygen.

59. Name the anion and cation which constitute the molecule of magnesium oxide.

Mg^{2+} is cation O^{2-} is anion

60. An element X has a valency 3. Write the formula of its oxide.



61. Name the international organisation which approves the name given to the elements

IUPAC, International Union of Pure and Applied Chemistry.

62. The oxide of aluminium has a chemical formula Al_2O_3 . State the valency of Al

The valency of Al = 3

63. Write the symbol for following elements.

a) Iron

b) Potassium

a) Iron-Fe

b) Potassium-K

64. Calculate formula unit mass of sugar ($C_{12}H_{22}O_{11}$)

Formula unit mass of $C_{12}H_{22}O_{11}$

$$= 12C + 22H + 11O$$

$$= 12 \times 12 + 22 \times 1 + 11 \times 16$$

$$= 144 + 22 + 176 = 342 \text{ u.}$$

65. Give the difference between a cation and an anion?

Cations are positively charged particles having protons more than electrons

Anions are negatively charged particles having electrons more than protons.

66. Write the names of the following compounds


a) $Al_2(SO_4)_3$

b) NH_4OH

a) Aluminium sulphate

b) Ammonium hydroxide

67. Write the chemical formula of the compound zinc hydroxide.



$Zn(OH)_2$ is the formula of zinc hydroxide.

68. Find the formula unit mass of $NaHCO_3$

[Atomic mass of Na = 23u, H = 1 u, C = 12 u, O = 16 u.]

Formula unit mass of $NaHCO_3$

$$= 1Na + 1H + 1C + 3O$$

$$= 23 + 1 + 12 + 3 \times 16$$

$$= 23 + 1 + 12 + 48 = 84 \text{ u}$$

69. Calculate the formula unit mass of Na_2CO_3

[Atomic mass of Na = 23u, C = 12 u, O = 16 u.]

Formula unit mass of Na_2CO_3

$$= 2\text{Na} + 1\text{C} + 3\text{O}$$

$$= 2 \times 23 + 1 \times 12 + 3 \times 16$$

$$= 46 + 12 + 48 = 106 \text{ u}$$

70. Write the names of the compounds

a) Ag_2O

b) Cu S

a) Ag_2O is called silver oxide.

b) CuS is called copper (II) sulphide

71. What is the formula of ammonium chloride?



72. How many atoms are there in one gram of hydrogen?

1 gram of hydrogen contains 6.022×10^{23} atoms.

73. How many atoms are present in 0.012 kg of C-12? What is the name given to this constant?

6.022×10^{23} atoms are present . It is called Avogadro's constant.

74. What is meant by Avogadro's constant?

Avogadro's constant is equal to 6.022×10^{23} particles.

75. Select an element that is:

a) More ductile

b) liquid at room temperature

a) Gold

b) Mercury

76. State the law of constant proportions.

Law of constant proportions (Law of definite proportion): This law states that in a pure chemical compound, the elements are always combined, the elements are always combined in fixed (definite) proportions (ratio) by mass.

77. Show that water illustrates the law of constant proportions.

Water, prepared from any source contains hydrogen and oxygen in the ratio of 2 : 16 (i.e. 1: 8 by mass) . If 18 g of H_2O is decomposed we will get 2 g of H_2 and 16g of O_2

78. Define atomic mass unit.

Atomic mass unit is defined as $\frac{1}{12}$ th of the mass of 1 atom of C- 12. It is called unified mass 'u' these days.

79. Hydrogen and oxygen combine in the ratio 1: 8 by mass to form water. What mass of oxygen gas would be required to react completely with 4 g of hydrogen gas?

1 g of H_2 reacts with 8 g of O_2

4 g of H_2 reacts with $8 \times 4 = 32$ g of O_2

80. Give one word for the following :

a) Positively charged ion

b) A group of atoms carrying a charge.


a) Cation

b) Polyatomic ion

81. Mention any two important rules for writing a chemical formula

a) Write valency or charge on atoms or radicals

b) Criss – cross the valency, e.g.



82. Calculate the formula unit mass of $CaCl_2$ [Atomic mass of Ca = 40u, Cl = 35.5u]

Formula unit mass of $CaCl_2$

= $1Ca + 2Cl = 40 \times 1 + 2 \times 35.5$

= $40 + 71 = 111u$

Next Generation School

I. SHORT ANSWER TYPE QUESTIONS

83. (a). How would you differentiate between a molecule of an element and a molecule of a compound? Write one example of each type.

(b). Write the chemical formula of baking soda [CBSE 2012]

(a) Molecule of an element contains the same kind of atoms. E.g. P_4 is a molecule of element which contains all four atoms of phosphorus.

Molecule of a compound contains two or more kinds of atoms. E.g. H_2O is a molecule of compound which contains 2 atoms of hydrogen and 1 atom of oxygen.

(b) $NaHCO_3$ is the chemical formula of baking soda.

84. Define atomicity. Give an example of each of monatomic, diatomic, tetra-atomic and polyatomic molecules.

Atomicity is defined as number of atoms present in a molecule. He is monoatomic. H_2 is diatomic, P_4 is tetra-atomic and S_8 is polyatomic molecules.

85. Classify the following compounds as diatomic, triatomic and polyatomic molecules:

HCl, H_2, H_2O and NH_3

Diatomic : HCl, H_2

Triatomic : H_2O

Polyatomic : NH_3

86. The percentage of three elements, calcium, carbon and oxygen in a sample of calcium carbonate is given as:

Calcium = 40%; Carbon = 12%; Oxygen = 48%

If the law of constant proportion is true, what weight of these elements will be present in 1.5g of another sample of calcium carbonate?

[Atomic mass of Ca=40u, C=12u, O=16u]

The other compound will also contains the same percentage of elements.

Calcium = 40%; Carbon = 12%; Oxygen = 48%

100g of $CaCO_3$ contains 40g of Ca

1.5g of $CaCO_3$ contains $\frac{40}{100} \times 1.5 = 0.6g$ of Calcium

100g of CaCO_3 contains 12g of Carbon


1.5g of CaCO_3 contains $\frac{12}{100} \times 1.5 = 0.18\text{g}$ of Carbon

Also, 100g of CaCO_3 contains 48g of oxygen.

1.5 g of CaCO_3 contains $\frac{48}{100} \times 1.5 = 0.72\text{g}$ of Oxygen

87. How will you prove experimentally the law of conservation of mass

- Take copper sulphate solution and dissolve it in water in a conical flask.
- Now take solution of sodium carbonate in the ignition tube and hang it carefully so that the two do not get mixed. Put a cork on the flask.




- Weight the flask with its content carefully,
- Now tilt and shake the flask so that the solutions of copper sulphate and sodium carbonate get mixed
- Weigh again
- The chemical reaction takes place in flask.
- Put cork on the mouth of the flask so that reactants and products do not spill out of flask.
- The mass of flask and its contents remain the same before as well as after the reaction that proves the law of conservation of mass.

Next Generation School

88. (a) When 5g of calcium is burnt in 2g of oxygen then 7g of calcium oxide is produced. What mass of calcium oxide will be produced when 5 g of calcium is burnt in 20g of oxygen. Which law of chemical combination will govern your answer? State the law.

(b) Write the chemical formula of calcium oxide.



80g of Ca reacts 32g of oxygen

5g of Ca reacts $\frac{32}{80} \times 5 = 2\text{g of oxygen}$.

5g of Ca will react only with 2g of oxygen out of 20g of oxygen and 18g of O_2 will remain unreacted.

Law of definite proportion : It states the compound formed by any method will contain the same element with the fixed ratio by mass.

(b) CaO is the formula of calcium oxide.

89 (i) Write the full form of IUPAC.

(ii. Hydrogen and oxygen combine in the ratio of 1 : 8 by mass to form water. What mass of oxygen gas would be required to react completely with 3g of hydrogen gas [CBST 2016]

(i) International Union of Pure and Applied Chemistry

(ii) 1g of H_2 combines with 8g of oxygen. 3g of H_2 combines with $8 \times 3 = 24\text{ g of oxygen}$.

90. Write the formulae of

(a) Magnesium hydroxide






(b) Hydrogen sulphide



(c) Potassium chloride

(d) Calcium oxide

(e) Barium chloride

(f) Sodium Carbonate





91. a) Define atomic mass unit

b) Distinguish between molecular mass and molar mass

c) Give an example for the following.

i) Diatomic

ii) Triatomic molecule of compounds

a) It is defined as $\frac{1}{12}$ th of the mass of 1 atom of C-12

b) Molecular mass is the mass of molecule. Molar mass is the mass of 6.22×10^{23} molecules

c) i) HCl is diatomic molecule of compound

ii) H_2O is triatomic molecule of compound.




92. An element 'X' forms an oxide with formula X_2O_3

a) State the valency of X




b) Write the formula of

i) Chloride of X, ii) Sulphate of X.

a) X has valency equal to 3




93. Using criss-cross, method write the chemical formulae of copper chloride, calcium sulphate and sodium phosphate






94) a) What are polyatomic ions?


b) Write the formulae and names of the compounds formed by combination of



a) Those ions which contain two or more than two atoms are called polyatomic ions.



Iron (III) sulphate








Ammonium carbonate

95. Write the formulae of :

a) Sodium chloride

b) Aluminium oxide

c) Ammonium sulphate



96. a) Define polyatomic ion

b) Write the name of the compound $(\text{NH}_4)_2\text{SO}_4$ and mention the ions present in it.

a) Those ions which contain two or more than two atoms are called polyatomic ions.

b) Ammonium sulphate. NH_4^+ and SO_4^{2-} ions are present in it.

97. Calculate the number of moles present in

a) 60 g of calcium

b) 3.011×10^{23} number of oxygen atoms.

[Given that $\text{Ca} = 40 \text{ u}$; Avogadro number $N_a = 6.022 \times 10^{23}$ per mole]

a) Number of moles of $\text{Ca} = \frac{\text{Given mass of Calcium}}{\text{Molar mass of Calcium}}$

$$= \frac{60}{40} = 1.5 \text{ moles}$$

b) Number of moles = $\frac{\text{Given number of molecules}}{6.022 \times 10^{23}}$

$$= \frac{3.011 \times 10^{23}}{6.022 \times 10^{23}} = 0.5 \text{ moles}$$

98. Calculate the number of molecules of phosphorus (P_4) present in 248 g of solid phosphorus

[Given Atomic mass of phosphorus = 31. Ou.

$$N_A = 6.022 \times 10^{23} \text{ per mole}]$$


Number of molecules of P_4

$$= \frac{\text{Given mass}}{\text{Molar mass}} \times 6.022 \times 10^{23}$$

$$= \frac{248}{31 \times 4} = 6.022 \times 10^{23} = 2 \times 6.022 \times 10^{23}$$

$$= 12.044 \times 10^{23} = 1.2044 \times 10^{24} \text{ molecules}$$

99. If hydrogen and oxygen in a ratio of 1: 8 by mass respectively to form water molecule. Explain how many moles of water will be formed using 10 moles of hydrogen gas and 5 moles of oxygen gas?



2 moles of H_2 reacts with 1 mole of O_2 to moles of O_2 to form 2 moles H_2O

\therefore 2 moles of H_2 reacts with 5 mole of O_2 to moles of O_2 to form 10 moles of water.

100. Ravi prepared a solution of sodium chloride by mixing 5.85 g of salt in 1 litre of water. Find

a) Molar mass of sodium chloride

b) Number of moles of sodium chloride dissolved

[Atomic masses of sodium and chlorine are 23 u and 35.5 u respectively].

c) Concentration of the sodium chloride solution.

a) Molar mass of NaCl = 23 + 35.5
= 58.5 g mol⁻¹

b) Number of moles of NaCl =

$$= \frac{\text{Mass of NaCl}}{\text{Molar mass of NaCl}} = \frac{5.85}{58.5} = 0.1 \text{ mol}$$

c) Concentration of solution

$$= \frac{\text{Mass of solute}}{\text{mass of solution}} \times 100$$

$$= \frac{5.85}{5.85+1000} \times 100 = \frac{5.85}{1005.85} \times 100 = 0.58\%$$

101 (a) Define the term mole

(b) Calculate the no. Of

(i) atoms

(ii) molecules in 124 grams of phosphorus, P_4

[Given atomic mass of P = 31.0 u

$$N_A = 6.023 \times 10^{23} \text{ mol}^{-1}]$$

(a) Mole is defined as counting unit and is equal to 6.022×10^{23} particles,

(b) (i) No of atoms

$$= \frac{\text{Mass of phosphorus}}{\text{Molar mass of phosphorus}} \times \text{Atomicity} \times 6.022 \times 10^{23}$$

$$= \frac{124}{124} \times 6.022 \times 10^{23}$$

$$= 24.088 \times 10^{23} = 2.4088 \times 10^{24} \text{ atoms}$$

(ii) No. Of molecules

$$= \frac{\text{Mass of phosphorus}}{\text{Molar mass}}$$

$$= \frac{124}{124} \times 6.022 \times 10^{23}$$

$$= 6.022 \times 10^{23} \text{ molecules}$$

102. Calculate the number of atoms in 120 g of calcium and 120 g of iron. Which one has more number of atoms and how much is the difference?

[Given atomic mass of Calcium = 40 u, Iron = 56 u]

1 mole of Ca = 40 g

No. of atoms of calcium

$$= \text{No. Of moles} \times 6.022 \times 10^{23}$$

$$= \frac{\text{Given mass}}{\text{Molar mass}} \times 6.022 \times 10^{23}$$

$$= \frac{120}{40} \times 6.022 \times 10^{23}$$

$$= 18.066 \times 10^{23} \text{ atoms}$$

$$= 1.8066 \times 10^{24} \text{ atoms}$$

$$= 18.066 \times 10^{23} \text{ atoms}$$

No. Of atoms of iron

$$= \frac{\text{Given mass}}{\text{Molar mass}} \times 6.022 \times 10^{23}$$

$$= \frac{120}{56} \times 6.022 \times 10^{23}$$

$$= \frac{72.264 \times 10^{24}}{56}$$

$$= 1.29 \times 10^{24}$$

Calcium has more number of atoms

Difference in number of atoms

$$= 1.81 \times 10^{24} - 1.29 \times 10^{24}$$

$$= 10^{24} (1.81 - 1.29)$$

$$= 0.52 \times 10^{24} = 5.2 \times 10^{23} \text{ atoms}$$

103. a) Calculate the number of molecules in 50 g of CaCO_3

b) Calculate the mass of 0.5 moles of nitrogen gas.

c) Calculate the number of moles in 50 g of NaCl.

[Atomic mass of Ca = 40 u, C = 12u, O = 16 u, N = 14u, Na = 23 u, Cl = 35.5 u,

$$N_A = 6.022 \times 10^{23} \text{ mol}^{-1}]$$

a) Molecular mass CaCO_3

$$= 40 + 12 + 3 \times 16 = 40 + 12 + 48$$

$$= 100 \text{ g}$$

\therefore 100 g CaCO_3 contains 6.022×10^{23} molecules

$$\therefore 50 \text{ g } \text{CaCO}_3 \text{ contains } \frac{6.022 \times 10^{23}}{100} \times 50$$

$$= 3.011 \times 10^{23} \text{ molecules}$$

b) 1 mole of N_2 gas = 28 g

$$\therefore 0.5 \text{ mole of } \text{N}_2 \text{ gas} = 0.5 \times 28 = 14 \text{ g}$$

c) Molecular mass of NaCl = 23 + 35.5 = 58.5 g

\therefore 58.5 g NaCl = 1 mole

$$\therefore 50 \text{ g NaCl} = \frac{1}{58.5} \times 50 \text{ moles}$$

$$= 0.855 \text{ mole}$$

104. a) Define one mole. How is it related to Avogadro's constant

b) Find the number of sodium ion in one mole of sodium sulphate

a) 1 mole is defined as equal to 6.022×10^{23} particles. It is also equal to molar mass in grams.

1 mole = Avogadro's constant

$$= 6.022 \times 10^{23}$$

1 mole of Na_2SO_4 contains 2 moles of Na^+

$$2 \text{ moles of } \text{Na}^+ = 2 \times 6.022 \times 10^{23}$$

$$= 12.044 \times 10^{23} = 1.2044 \times 10^{24} \text{ Na}^+ \text{ ions}$$

105.a) Which among the following has more number of molecules :

1 g of hydrogen (H_2) or 1 g of methane (CH_4)?

(Atomic mass of H = 1 u, C = 12 u)

b) Calculate the number of particles in 46 g of Na atoms.

(Atomic mass of Na = 23 u)

a) 1 g of H_2 contains number of molecules

$$= \frac{1}{2} \times 6.022 \times 10^{23}$$

$$3.011 \times 10^{23}$$

1 g of CH_4 contains number of molecules

$$= \frac{1}{16} \times 6.022 \times 10^{23}$$

$$= \frac{6.022}{16} \times 10^{23} = 3.76 \times 10^{23} \text{ molecules}$$

\therefore 1 g of H_2 contains more number of molecules

b) Atomic mass of Na atom = 23 g

\therefore 23 g Na atom contains 6.022×10^{23} particles

\therefore 46 g Na atom will contain

$$\frac{6.022 \times 10^{23} \times 46}{23}$$

$$= 12.044 \times 10^{23} \text{ particles}$$

106. The atomic mass of Calcium is 40 u. What will be the number of Calcium atoms in 0.4 u of Calcium?

40u of calcium contains 1 atom

0.4 u of calcium contains $\frac{1}{40} \times 0.4 = 10^{-2}$

I. LONG ANSWER TYPE QUESTIONS

107. a) Calculate the number of oxygen atoms in 0.40 mole of $\text{Na}_2\text{CO}_3 \cdot 10\text{H}_2\text{O}$

b) If one mole of sulphur weighs 32 grams. What is the mass (in grams) of 1 atom of sulphur?

c) Identify the correct formula for ammonium sulphate from the following formula.

$(\text{NH}_4)(\text{SO}_4)_3$, $(\text{NH}_4)_2\text{SO}_4$, $\text{NH}_4(\text{SO}_4)_2$

a) 1 mole of $\text{Na}_2\text{CO}_3 \cdot 10\text{H}_2\text{O}$ contains $13 \times 6.022 \times 10^{23}$ atoms of oxygen.

\therefore 0.10 moles of $\text{Na}_2\text{CO}_3 \cdot 10\text{H}_2\text{O}$ will contain $= 0.10 \times 13 \times 6.022 \times 10^{23}$

$= 7.83 \times 10^{23}$ atoms of oxygen.

b) 1 mole of sulphur = 32 g

Also 1 mole of sulphur

$= 6.022 \times 10^{23}$ atoms

Now $= 6.022 \times 10^{23}$ atoms of sulphur weigh

$= 32$ g


\therefore 1 atom of sulphur weighs

$= \frac{32}{6.022 \times 10^{23}} \text{ g} = 5.31 \times 10^{-23} \text{ g}$







c) $(\text{NH}_4)_2\text{SO}_4$

Next Generation School

108. a) Write chemical formulae of all the compounds that can be formed by the combination of the following ions.



b) Molar mass of nitrogen is 14 u. What will be the mass of one atom of nitrogen in grams?



b) 1 mole of nitrogen atoms = 14 g

1 mole of nitrogen atoms

$$= 6.022 \times 10^{23} \text{ atoms}$$

6.022×10^{23} atoms of nitrogen weigh

$$= 14 \text{ g}$$

1 atom of nitrogen weigh

$$= \frac{14}{6.022 \times 10^{23}} = 2.324 \times 10^{-23} \text{ g}$$

109. Verify by calculating the following:

a) Number of molecules in 100 g of NH_3 is more than 100 g of N_2 [Atomic mass of N = 14 u, H = 1 u]

b) 60 g of carbon and 60 g of magnesium elements have a molar ratio 2: 1 [Atomic mass of C = 12 u, Mg = 24 u]

No. Of moles of NH_3

$$= \frac{\text{Given mass}}{\text{Molar mass}}$$

$$= \frac{100}{14+3} = \frac{100}{17} = 5.88 \text{ moles}$$

= Number of molecules

$$= \text{Number of moles} \times 6.022 \times 10^{23}$$

$$= 5.88 \times 6.022 \times 10^{23}$$

$$= 35.4 \times 10^{23}$$

$$= 3.54 \times 10^{23} \text{ molecules}$$

$$\text{Number of moles of } N_2 = \frac{\text{Given mass}}{\text{Molar mass}}$$

$$= \frac{100}{2 \times 14} = \frac{100}{28} = 3.57 \text{ moles}$$

$$\text{Number of } N_2 \text{ molecules}$$

$$= \text{Number of moles} \times 6.022 \times 10^{23}$$

$$= 3.57 \times 6.022 \times 10^{23}$$

$$= 21.5 \times 10^{23} = 2.15 \times 10^{24} \text{ molecules}$$

Therefore the number of molecules in 100 g of NH_3 is more

$$\text{b) Number of moles} = \frac{\text{Given mass}}{\text{Molar mass}}$$

$$\frac{60}{12} = 5 \text{ moles}$$

$$\text{Number of moles of Mg} = \frac{\text{Given mass}}{\text{Molar mass}}$$

$$\frac{60}{24} = 2.5 \text{ moles}$$

$$\text{Ratio} = 5 : 2.5$$

$$\Rightarrow \text{Ratio} = 2 : 1.$$



Next Generation School

NCERT EXEMPLAR Questions

1. Which of the following represents a correct chemical formula? Name it.


a) CaCl

b) BiPO_4

c) NaSO_4

d) NaS

b) BiPO_4 is correct formula Bi^{3+} PO_4^{3-}



Bismuth phosphate is the name of the compound.

2. Write the molecular formula for the following compounds.

a) Copper (II) bromide

b) Aluminium (III) nitrate

c) Calcium (II) phosphate

d) Iron (III) sulphide

e) Mercury (II) chloride

f) Magnesium (II) acetate

a) CuBr_2

b) $\text{Al}(\text{NO}_3)_3$

c) $\text{Ca}_3(\text{PO}_4)_2$

d) Fe_2S_3


e) HgCl_2

$(\text{CH}_3\text{COO})_2\text{Mg}$

3. Write the molecular formulae of all the compound that can be formed by the combination of following ions:


Ca^{2+} , Na^+ , Fe^{3+} , Cl^- , SO_4^{2-} , PO_4^{3-}

Cu^{2+} Cl^-




CuCl_2

Na^+ Cl^-




NaCl

Fe^{3+} Cl^-




FeCl_3

Cu^{2+} SO_4^{2-}




CuSO_4

Na^+ SO_4^{2-}



Na_2SO_4

Fe^{3+} SO_4^{2-}



$\text{Fe}_2(\text{SO}_4)_3$

Cu^{2+} PO_4^{3-}



$\text{Cu}_3(\text{PO}_4)_2$

Na^+ PO_4^{3-}



Na_3PO_4

Fe^{3+} PO_4^{3-}



FePO_4

4. Write the cations and anions present (if any) in the following compounds:

- a) CH_3COONa b) $NaCl$ c) H_2 d) NH_4NO_3

a) CH_3COO^- (Anion) and Na^+ (Cation)

b) Na^+ (Cation) Cl^- (Anion)

c) H_2 (No Cation and No Anion)

d) NH_4^+ (Cation) NO_3^- (Anion)

5. Give the formulae of the compounds formed from the following sets of elements.

a) Calcium and fluorine

b) Hydrogen and hydrogen

c) Nitrogen and hydrogen

d) Carbon and Chlorine


e) Sodium and oxygen

f) Carbon and oxygen


a) Ca^{2+} F^-




b) H^+ S^{2-}




c) N^{3-} H^{1+}




d) C^{4+} Cl^{1-}



e) Na^+ O^{2-}



f) C^{4+} O^{2-}



6. Which of the following symbols of elements are incorrect? Give their correct symbols

a) Cobalt CO

b) Carbon c

c) Aluminium AL

d) Helium He

e) Sodium So

Elements

Correct symbols

a) Cobalt

Co

b) Carbon

C

- c) Aluminium Al
d) Helium He
e) Sodium Na

7. Give the chemical formulae for the following compounds and compute the ratio by mass of the combining elements in each one of them.

- a) Ammonia b) Carbon monoxide
c) Hydrogen chloride d) Aluminium fluoride
e) Magnesium sulphide

- a) NH_3 b) CO c) HCl
d) AlF_3 e) MgS

Ratio by mass a) 14:3 b) 12: 16 c) 1:35.5 d) 27 : 57 e) 24: 32

Simple Ratio 14: 3 3: 4 2:71 9: 19 3: 4

8. State the number of atoms present in each of the following chemical species :

- a) CO_3^{2-} b) PO_4^{3-} c) P_2O_5 d) CO

a) CO_3^{2-} contains 4 atoms b) PO_4^{3-} contains 5 atoms

c) P_2O_5 contains 7 atoms d) CO contains 2 atoms

9. What is the fraction of the mass of water due to neutrons?

No. Of neutrons in H_2O = 8 [because hydrogen does not have neutron and oxygen has 8 neutrons]




Therefore , fraction of the mass of water due to neutrons = $\frac{8}{18} = \frac{4}{9}$

10. Does the solubility of a substance change with temperature? Explain with the help of an example.

Yes, the solubility of solid in liquid increases with increase in temperature, e.g. cold water can dissolve less amount of sugar, whereas hot water can dissolve more amount of sugar.

11. Classify each of the following on the basis of their atomicity.

- a) F_2 b) NO_2 c) N_2O



a) Diatomic

b) Triatomic

c) Triatomic

d) Octa-atomic

e) Tetra-atomic

f) Tetra-atomic

g) Tetra deca-atomic (14)

h) Triatomic

i) Diatomic

j) Penta- atomic

k) Monoatomic

l) Monoatomic

12. You are provided with a fine white coloured powder which is either sugar or salt. How would you identify it without testing?

Heat the given substance . If it turns black on heating, then it is sugar, otherwise salt. because sugar will lose water on heating and black coloured carbon will be left back.

OR

Take ice cold water. If the given substance dissolves easily, it is salt. If it does not dissolve easily, it is sugar.

13. Calculate the number of moles of magnesium present in a magnesium ribbon weighing 12 g. Molar atomic mass of magnesium is 24 g mol^{-1} .

$$1 \text{ mole of Mg} = 24 \text{ g}$$

$$24 \text{ g of Mg} = 1 \text{ mole}$$

$$12 \text{ g of Mg} = \frac{1}{24} \times 12 = 0.5 \text{ mol}$$

14. Verify by calculating that

a) 5 moles of CO_2 and 5 moles of H_2O do not have the same mass.

b) 240 g of calcium and 240 g magnesium elements have a mole ratio of 3 : 5.

a) $1 \text{ mole of } CO_2 = 44 \text{ g}$

$$5 \text{ moles of } CO_2 = 44 \times 5 = 220 \text{ g}$$

$$1 \text{ mole of } H_2O = 18 \text{ g}$$

$$5 \text{ moles of } H_2O = 18 \times 5 = 90 \text{ g}$$

Clearly, both do not have the same mass.

b) 1 mole of Ca = 40g

40g of Ca = 1 mole

240 g of Ca = $\frac{1}{40} \times 240 = 6$ moles

24 g of Mg = 1 mole

240 g of Mg = $\frac{1}{24} \times 240 = 10$ moles

Molar ratio = 6: 10 i.e. 3: 5. Hence proved.

15. Find the ratio by mass of the combining elements in the following compounds:

a) CaCO_3 b) MgCl_2 c) H_2SO_4 d) $\text{C}_2\text{H}_5\text{OH}$ e) NH_3 f) Ca(OH)_2

a) CaCO_3 b) MgCl_2 c) H_2SO_4 d) $\text{C}_2\text{H}_5\text{OH}$ e) NH_3 f) Ca(OH)_2

Ratio by mass (a) 40 : 12 : 48 b) 24 : 71 c) 2 : 32 : 64 d) 24 : 6 : 16

e) 14 : 3 f) 40 : 32 : 2


Simple ratio 10 : 3 : 12 24 : 71 1 : 16 : 32 12 : 3 : 8

14 : 3 20 : 16 : 1

16. Calcium chloride when dissolved in water dissociates into its ions according to the following equation.



Calculate the number of ions obtained from CaCl_2 when 222 g of it is dissolved in water.



1 mole of $\text{CaCl}_2 = 111$ g

111 g of $\text{CaCl}_2 = 1$ mole

222 g of $\text{CaCl}_2 = \frac{1}{111} \times 222 = 2$ moles


1 mole of CaCl_2 gives 3 moles of ion

2 mole of CaCl_2 gives 6 moles of ion

= $6 \times 6.022 \times 10^{23}$ ions

= 36.132×10^{23} ions = 3.6132×10^{24} ions

17. The difference in the mass of 100 moles each of sodium atoms and sodium ions is 5.48002 g. Compute the mass of an electron.



1 mole 1 mole 1 mole
100 moles 100 moles 100 moles

100 moles of electrons weigh = 5.48002 g

$100 \times 6.022 \times 10^{23}$ electrons weigh = 5.48002 g

$$1 \text{ electron weighs } + \frac{5.48002 \text{ g}}{100 \times 6.022 \times 10^{23}}$$

$$= 0.91 \times 10^{-25} \text{ g} = 9.1 \times 10^{-29} \text{ g}$$

It is not the real mass of electron.

18. Cinnabar (HgS) is a prominent ore of mercury. How many grams of mercury are present in 225 g of pure HgS? Molar mass of Hg and S are 200.6 mol^{-1} respectively.

$$\text{Molar mass of HgS} = 200.6 + 32 = 232.6 \text{ g mol}^{-1}$$

232.6 g of HgS contains 200.6 g of pure Hg

$$225 \text{ g of HgS contains } \frac{200.6}{232.6} \times 225 = 194.04 \text{ g}$$

19. The mass of one steel screw is 4.11 g. Find the mass of one mole of these steel screws. Compare this value with the mass of the Earth ($5.98 \times 10^{24} \text{ kg}$) Which one of the two is heavier and by how many times?

Mass of 1 steel screw = 4.11 g

Mass of 6.022×10^{23} steel screws

$$= 4.11 \times 6.022 \times 10^{23} \text{ g} = 2.475 \times 10^{24} \text{ g} = 2.475 \times 10^{21} \text{ kg}$$

Therefore, mass of one mole of screws

$$= 2.475 \times 10^{21} \text{ kg}$$

$$= \frac{\text{Mass of Earth}}{\text{Mass of 1 mole screws}} = \frac{5.98 \times 10^{24} \text{ kg}}{2.475 \times 10^{21}} = 2.4 \times 10^3$$

Mass of the earth is 2400 times the mass of 1 mole of screws

20. A sample of vitamin C is known to contain 2.58×10^{24} oxygen atoms.. How many moles of oxygen atoms are present in the sample?

Number of moles of oxygen atoms

$$= \frac{\text{No. of atoms}}{\text{Avogadro's Number}} = \frac{2.58 \times 10^{24}}{6.022 \times 10^{23}}$$

= 4.28 moles.

21. Raunak took 1 mole of carbon atoms in a container and Krish also took 5 moles of sodium atoms in another container of the same weight.

(a) Whose container is heavier?

(b) Whose container has more number of atoms?

a) 1 mole of carbon atoms = 12g

5 moles of carbon atoms = $12 \times 5 = 60\text{g}$

1 mole of Na = 23 g

5 moles of Na = $23 \times 5 = 115\text{ g}$

Thus, Krish's container is heavier than that of Raunak.

b) Both the containers have same number of atoms as both have the same number of moles and both elements are mono atomic.

22. Fill in the missing data in the Table

Species	H_2O	CO_2	Na atom	$MgCl_2$
Property				
No. Of moles	2	-	-	0.5
No. Of particles	-	3.011×10^{23}	-	-
Mass	36 g	-	115 g	-

1 mole of $H_2O = 1 \times 2 + 16 = 18\text{ g}$

2 mole of $H_2O = 2 \times 18 = 36\text{ g}$

2 moles of H_2O contains = $2 \times 6.022 \times 10^{23} = 12.044 \times 10^{23}$ molecules

$$1 \text{ mole of } CO_2 = 12 + 2 + 16 = 44 \text{ g}$$

$$0.5 \text{ mol of } CO_2 = 44 \times 0.5 = 22 \text{ g}$$

$$1 \text{ mole of } CO_2 \text{ will contain } 6.022 \times 10^{23} \text{ molecules}$$

$$0.5 \text{ mol of } CO_2 \text{ will contain } 0.5 \times 6.022 \times 10^{23} = 3.011 \times 10^{23} \text{ molecules}$$

$$1 \text{ mole of Na} = 23 \text{ g}$$

$$5 \text{ moles of Na} = 23 \times 5 = 115 \text{ g}$$

$$1 \text{ mole of Na} = 6.022 \times 10^{23} \text{ atoms}$$

$$5 \text{ moles of Na} = 5 \times 6.022 \times 10^{23} = 30.110 \times 10^{23} \text{ atoms}$$

$$1 \text{ mole of } MgCl_2 = 24 + 2 \times 35.5 = 24 + 71 = 95 \text{ g}$$

$$0.5 \text{ mole of } MgCl_2 = 0.5 \times 95 = 47.5 \text{ g}$$

$$1 \text{ mole of } MgCl_2 = 6.022 \times 10^{23}$$

$$0.5 \text{ mole of } MgCl_2 = 0.5 \times 6.022 \times 10^{23} = 3.011 \times 10^{23} \text{ formula units.}$$

Species	H_2O	CO_2	Na atom	$MgCl_2$
No. Of moles	2	0.5	5	0.5
No. Of Particles	12.044×10^{23} molecules	3.011×10^{23}	30.110×10^{23}	3.011×10^{23}
Mass	36g	22g	115g	47.5g

23. The visible universe is estimated to contain 10^{22} stars. How many moles of stars are present in the visible universe?

$$\text{Number of moles of stars} = \frac{10^{22}}{N_A} = \frac{10^{22}}{6.022 \times 10^{23}}$$

$$= 0.167 \times 10^{-1} = 0.0167 \text{ mole.}$$

24. What is the SI prefix for each of the following multiples and sub-multiples of a unit?

(a) 10^3

(b) 10^{-1}

(c) 10^{-2}

(d) 10^{-6}

(e) 10^{-9}

(f) 10^{12}

(a) Kilo

(b) deci

(c) centi

(d) micro

(e) nano

(f) pico

25. Express each of the following in kilograms:

- (a) $5.84 \times 10^{-3} \text{ mg}$ (b) 58.34 g (c) 0.584 g (d) $5.873 \times 10^{-21} \text{ g}$

(a) $5.84 \times 10^{-3} \text{ mg} \times 10^{-6} = 5.84 \times 10^{-9} \text{ kg}$

$[\because 1 \text{ mg} = 10^{-3} \text{ g} = 10^{-6} \text{ kg}]$

(b) $58.34 \text{ g} \times 10^{-3} \text{ kg} = 5.834 \times 10^{-2} \text{ kg}$


$[\because 1 \text{ g} = 10^{-3} \text{ kg}]$

(c) $0.584 \text{ g} = 0.584 \times 10^{-3} \text{ kg} = 5.84 \times 10^{-4} \text{ kg}$

(d) $5.873 \times 10^{-21} \text{ g} \times 10^{-3} = 5.873 \times 10^{-24} \text{ kg}$

26. Compute the difference in masses of 10^3 moles each of magnesium atoms and magnesium ions.

(Mass of an electron = $9.1 \times 10^{-31} \text{ kg}$) [HOTS]



1 electron weighs = $9.1 \times 10^{-31} \text{ kg}$

$\therefore 2000 \times 6.022 \times 10^{23}$ electrons weigh + -

= $9.1 \times 10^{-31} \times 2000 \times 6.022 \times 10^{23} \text{ kg}$

= $109.6004 \times 10^{-5} \text{ kg} = 1.096004 \times 10^{-3} \text{ kg}$

27. Which has more number of atoms?

100 g of N_2 or 100 g of NH_3

1 mole of $\text{N}_2 = 28 \text{ g}$

28 g of $\text{N}_2 = 1 \text{ mole}$

100 g of $\text{N}_2 = \frac{1}{28} \times 100 = \frac{25}{7}$ moles

= $\frac{25}{7} \times 6.022 \times 10^{23} \times 2 \text{ atoms}$

= $\frac{301.100}{7} \times 10^{23} \text{ atoms}$

= $43.01 \times 10^{23} \text{ atoms}$

= $4.30 \times 10^{24} \text{ atoms}$

1 mole of $\text{NH}_3 = 17 \text{ g}$

17 g of $\text{NH}_3 = 1 \text{ mole}$

100 g $\text{NH}_3 = \frac{1}{17} \times 100 \text{ mole}$

$$\frac{100}{17} \times 4 \times 6.022 \times 10^{23} \text{ atoms}$$

$$= \frac{24.088}{17} \times 10^{25} \text{ atoms}$$

$$1.417 \times 10^{25} \text{ atoms}$$

Therefore 100 g of NH_3 contains more number of atoms.

28. Compute the number of ions present in 5.85 g of sodium chloride.



1 mole of $\text{NaCl} = 23 + 35.5 = 58.5 \text{ g}$

58.5 g of $\text{NaCl} = 1 \text{ mole}$

5.85 g of $\text{NaCl} = \frac{1}{58.5} \times 5.85 = 0.1 \text{ mol}$

1 mole of NaCl gives 2 moles of ions

0.1 mol of NaCl gives $2 \times 0.1 = 0.2 \text{ mol}$

$= 0.2 \times 6.022 \times 10^{23} \text{ ions} = 1.2044 \times 10^{23} \text{ ions}$

29. A gold sample contains 90% of gold and the rest copper. How many atoms of gold are present in one gram of this sample of gold?

Amount of gold in 1g of 90% pure gold

$$= \frac{1 \times 90}{100} = 0.9 \text{ g}$$

1 mole of $\text{Au} = 197 \text{ g}$

1 mole of $\text{Au} = 6.022 \times 10^{23} \text{ atoms}$

0.9 g of gold contains $\frac{6.022 \times 10^{23} \times 0.9}{197}$

$= 2.75 \times 10^{21} \text{ atoms}$


30. What are ionic and molecular compounds? Give examples

Ionic compounds are those compounds which are solid and form ions in aqueous solution, have high melting and boiling points, do not conduct electricity in solid state but conduct electricity in molten state or in aqueous solution, e.g. NaCl, KCl, MgO, CaO, etc.,

Molecular compounds may be solids, liquids or gases, do not form ions in aqueous solution, have low melting and boiling points, do not conduct electricity e.g. CH_4 , CCl_4 , NH_3 , PH_3 , etc.,

31. Compute the difference in masses of one mole each of aluminium atoms and one mole of its ions (Mass of an electron is $9.1 \times 10^{-28} g$) [HOTS]

Which one is heavier?



Mass of 1 electron = $9.1 \times 10^{-28} g$

Mass of 3 $\times 6.022 \times 10^{23}$

= $9.1 \times 10^{-28} \times 3 \times 6.022 \times 10^{23}$

Mass of 3 moles of electrons = $164.400 \times 10^{-5} g$

= 0.00164 g

Molar mass of Al^{3+} ions = 27 - 0.00164 g

= 26.9984 g mol^{-1}

Difference in mass between Al and Al^{3+} = 0.00164 g

32. A silver ornament of mass 'm' gram is polished with gold equivalent to 1% of the mass of silver. Compute the ratio of the number of atoms of gold and silver in the ornament [HOTS]

Mass of gold in the ornament

$$= m \times \frac{1}{100} = \frac{m}{100} = 0.01 m \text{ gram}$$

108 g of Ag contains 6.022×10^{23} atoms

m gram of Ag contains $\frac{6.022 \times 10^{23}}{108} \times m$

$$= \frac{m}{100} = 6.022 \times 10^{23} \text{ atoms}$$

197 g of Au contains 6.022×10^{23} atoms

$$= \frac{m}{100} \text{ g of Au contains } \frac{6.022 \times 10^{23}}{197} \times \frac{m}{100} \text{ atoms}$$

Ratio of number of atoms of gold and silver = Au : Ag

$$= \frac{6.022 \times 10^{23}}{197} \times \frac{m}{100} : \frac{6.022 \times 10^{23} \times m}{108}$$

$$= 108 : 19700 = 1 : 182.41$$

33. A sample of ethane (C_2H_6) gas has the same mass as 1.5×10^{20} molecules of methane (CH_4), How many C_2H_6 molecules does the sample of gas contain?

1 mole of CH_4 = 16g

1 mole of CH_4 contains 6.022×10^{23} molecules

6.022×10^{23} molecules of CH_4 has mass = 16g

1.5×10^{20} molecules of CH_4 has mass

$$= \frac{16}{6.022 \times 10^{23}} \times 1.5 \times 10^{20} \text{ g}$$

Now, 1 mole of C_2H_6 = 6.022×10^{23} molecules

30 g of C_2H_6 contains 6.022×10^{23} moles

$$\therefore \frac{16 \times 1.5 \times 10^{-3}}{6.022} \text{ g of } C_2H_6 \text{ contains}$$

$$= \frac{6.022 \times 10^{23}}{30} \times \frac{16 \times 1.5 \times 10^{-3}}{6.022}$$

$$= \frac{24}{30} \times 10^{20} = 0.8 \times 10^{20}$$

$$= 8 \times 10^{19} \text{ molecules}$$

34. Fill in the blanks"

a) In a chemical reaction, the sum of the masses of the reactants and products remains unchanged. This is called _____.

b) A group of atoms carrying a fixed charge on them is called _____.


c) The formula unit mass of $Ca_3(PO_4)_2$ is _____ [Ca=40u, P=31 u, O = 16 u]

d) Formula of sodium carbonate is _____. And that of ammonium sulphate is _____.


a) Law of conservation of mass

b) Polyatomic ions [radicals]

c) $40 \times 3 + 2 \times 31 + 8 + 16 = 120 + 62 + 128 = 310 \text{ u}$



35. Complete the following crossword puzzle by using the name of the chemical elements.
Use the data given in Table.



Across

2. The element used by Rutherford during his α - scattering experiment (4)
3. An element which forms rust on exposure to moist air (4)
5. A very reactive non-metal stored under water (10)
7. Zinc metal when treated with dilute hydrochloric acid produces a gas of this element which when tested with burning splinter produces a pop sound (8)

Down


1. A white lustrous metal used for making ornaments and which tends to get tarnished black in the presence of moisture (6)
4. Both brass and bronze are alloys of the element (6)
6. The metal which exists in the liquid state at room temperature (7)
8. An element with symbol Pb (4)

Across

2. GOLD 3. IRON 5. PHOSPHORUS 7. HYDROGEN

Down


1. SILVER 4. COPPER 6. MERCURY 8. LEAD



Next Generation School


36. (a) In the given crossword puzzle, names of 11 elements are hidden, the symbols of these elements are given below. Complete the puzzle

- | | | | | | |
|-------|------|-------|--------|--------|------|
| 1. C | 2. H | 3. Ar | 4. O | 5. Xe | 6. N |
| 7. He | 8. F | 9. Kr | 10. Rn | 11. Ne | |



b) Identify the total number of inert gases, their names and symbols from this crossword puzzle.

- | | | |
|------------------|-----------------|-----------------|
| 1. Cl - CHLORINE | 2. H - HYDROGEN | 3. Ar - ARGON |
| 4. O - OXYGEN | 5. Xe - XENON | 6. N - NITROGEN |
| 7. He - HELIUM | 8. F - FLUORINE | 9. Kr - KRYPTON |
| 10. Rn - RADON | 11. Ne - NEON | |



(b) Helium (He), Neon (Ne), Argon (Ar), Krypton (Kr), Xenon (Xe), and Radon (Rn) are six inert gases.

37. Write the formulae for the following and calculate the molecular mass for each one of them.

a) Caustic potash

b) baking powder

c) Lime stone

d) Caustic soda

e) Ethanol

f) Common salt

a) Caustic potash is KOH , Molecular mass

$$= 39 + 16 + 1 = 56 \text{ u}$$

b) Baking powder is NaHCO_3 Molecular mass

$$= 23 + 1 + 12 + 48 = 84 \text{ u}$$

c) Lime stone is CaCO_3 Molecular mass

$$= 40 + 12 + 48 = 100 \text{ u}$$

d) Caustic soda is NaOH , Molecular mass

$$= 23 + 16 + 1 = 40 \text{ u}$$


e) Ethanol is $\text{C}_2\text{H}_5\text{OH}$ Molecular mass

$$= 24 + 5 + 16 + 1 = 46 \text{ u}$$

f) Common salt is NaCl , Molecular mass

$$= 23 + 35.5 = 58.5 \text{ u}$$

38. In photosynthesis, 6 molecules of carbon dioxide combine with an equal number of water molecules through a complex series of reactions to give a molecule of glucose having a molecular formula $\text{C}_6\text{H}_{12}\text{O}_6$. How many grams of water would be required to produce 18 g of glucose? Compute the volume of water so consumed, assuming the density of water to be 1 g cm^{-3} [HOTS]



Molar mass of $\text{C}_6\text{H}_{12}\text{O}_6$

$$= 6 \times 12 + 12 \times 1 + 6 \times 16$$

$$= 72 + 12 + 96 = 180 \text{ g mol}^{-1}$$

180 g of $\text{C}_6\text{H}_{12}\text{O}_6$ needs 108 g of H_2O

$$18 \text{ g of } \text{C}_6\text{H}_{12}\text{O}_6 \text{ needs } \frac{108}{180} \times 18$$

$$= 10.8 \text{ g of } \text{H}_2\text{O}$$

$$\text{Volume of water} = \frac{\text{Mass of water}}{\text{Density of Water}} = \frac{10.8 \text{ g}}{1 \text{ g cm}^{-3}}$$

$$\text{Volume of water} = 10.8 \text{ cm}^3$$