



#### Grade IX

### Lesson: 6 LINES AND ANGLES BASIC TERMS AND DEFINITIONS





#### ANGLE SUM PROPERTY OF TRIANGLE AND EXTERIOR ANGLE PROPERTY



- The sum of the angles of a triangle is  $180^{\circ}$
- If a side of a triangle is produced, then the exterior angle so formed is equal to the sum of the two interior opposite angles.
- Exterior angle of a triangle is greater than either of its interior opposite angles






# Objective Type Questions


# I. Multiple choice questions 6.1

- 1. In the given figure,  $\angle x$  is
  - a) obtuse angle
- b) acute angle
- c) reflex angle
- d) straight angle



Sol. c


2. In the given figure, a pair of adjacent angles is



- a)  $\angle COA$  and  $\angle BOA$
- b)  $\angle COA$  and  $\angle BOC$  c)  $\angle AOB$  and  $\angle BOC$ 
  - d) none of these

Sol. c

- 3. In figure if x : y = 1 : 4, then values of x and y are respectively
  - a)  $36^0$  and  $144^0$
- b)  $18^0$  and  $72^0$
- c) 144<sup>0</sup> and 36<sup>0</sup>
- d)  $72^0$  and  $18^0$





Given, x: y = 1:4Sol.

$$\Rightarrow \frac{x}{y} = \frac{1}{4} = \frac{K}{4K} \implies x = K \text{ and } y = 4K$$

From the figure,

$$x + y = 180^{\circ}$$
 (Linear pair axiom)


$$\Rightarrow \qquad k + 4k = 180^0 \Rightarrow 5k = 180^0 \Rightarrow k = 36^0$$

Hence,  $x = k = 36^{\circ}$ 

And 
$$y = 4k = 4 \times 36^0 = 144^0$$

∴ Correct option is (a)

4. In the given figure, POS is a line, then  $\angle QOR$  is



- a)  $60^{0}$
- b)  $40^{0}$
- c)  $80^{\circ}$
- d)  $20^{0}$

Sol. c

5. If the difference between two complementary angles is  $10^0$  then the angles are,

- a)  $50^{\circ}$ ,  $60^{\circ}$
- b)  $50^{\circ}, 40^{\circ}$
- c)  $80^{\circ}$ ,  $10^{\circ}$
- d) 35<sup>0</sup>, 45<sup>0</sup>

Let an angle be x. Then other angle =  $x-10^{\circ}$ .

Since the two angles are complementary, So,

$$x + x - 10^0 = 90^0$$

$$\Rightarrow$$
 2x = 90° + 10° = 100°

$$\Rightarrow \quad x = \frac{100^0}{2} = 50^0$$

So, one angle =  $50^{\circ}$ , Then, other angle =  $x - 10^{\circ} = 50^{\circ} - 10^{\circ} = 40^{\circ}$ 

 $\therefore$  Correct option is (b)

6. Diagonals of a rhombus ABCD intersect each other at O, then, what are the measurements of vertically opposite angles  $\angle AOB$  and  $\angle COD$ ?

- a)  $\angle ABO = \angle CDO$  b)  $\angle ADO = \angle BCO$
- c)  $60^{\circ}$ ,  $60^{\circ}$
- $D) 90^{\circ}, 90^{\circ}$


Sol. d



- 7. In the given figure, if  $\angle AOC = 50^{\circ}$ , then  $(\angle AOD = \angle COB)$  is equal to
  - a)  $60^{0}$
- b)  $140^{0}$


- c)  $260^{\circ}$
- d)  $130^{0}$

Sol. c



8. In the given figure, if AOB is a line then find the measure of  $\angle BOC, \angle COD, and \angle DOA$ 

[CBSE 2011]



**Sol**. We have,  $\angle BOC + \angle COD + \angle DOA = 180^{\circ}$ 

$$\Rightarrow 2y + 3y + 5y = 180^0$$

$$\Rightarrow 10y = 180^{0} \Rightarrow y = 18^{\circ}$$

$$\therefore \angle BOC = 2y = 2 \times 18^0 = 36^0$$


$$\angle COD = 3y = 3 \times 18^0 = 54^0$$

$$\angle DOA = 5y = 5 \times 18^0 = 90^0$$

9. Check whether the following statements are true or not?

(i) 
$$a + b = d + c$$

(ii) 
$$a + c + e = 180^{\circ}$$
 (iii)  $b + f = c + e$ 





eration School



Sol. From figure, we have

a + b = d + e (Vertically opposite angles)

But e≠c

$$\therefore$$
  $a+b \neq d+c$ 

$$\Rightarrow$$
 Hence, statement (i) is incorrect.

From the figure, we have

$$a + f + e = 180^{\circ}$$
 [Linear pair axiom] ....(i)

But f = c (Vertically opposite angles)

$$\Rightarrow$$
 a + c + e =  $180^{\circ}$ 

[From (i)]

Hence, statement (ii) is true..

Again b + c = f + e [Vertically opposite angles]

But, 
$$c = f$$

[Vertically opposite angles]

$$B+f=c+e$$

[On interchanging c and f]

Hence, statement (iii) is also true.

Therefore, statement (ii) and (iii) are correct.

10. Ray OD stands on line AOB, if ray OC and OE bisects  $\angle BOD$  and  $\angle AOD$ , respectively, Find the  $\angle COE$ .

$$\angle BOC = \angle COD = \frac{1}{2} \angle BOD$$

(: OC is angle bisector of  $\angle BOD$ )

And 
$$\angle AOE = \angle EOD = \frac{1}{2} \angle AOD$$

(: OE is angle bisector of  $\angle AOD$ )

Now, 
$$\angle AOD + \angle BOD = 180^{\circ}$$

[Linear pair axiom]


$$\Rightarrow \frac{1}{2} \angle AOD + \frac{1}{2} \angle BOD = \frac{1}{2} \times 180^{0} = 90^{0}$$

$$\Rightarrow \angle EOD + \angle COD = 90^{\circ}$$

$$\Rightarrow$$
  $\angle COE = 90^{\circ}$ 



## 11. In the given figure, find the value x,




Sol : Ray OC stands on line AOB

$$\therefore \angle AOC + \angle BOC = 180^{\circ}$$
 [Linear pair axiom]

$$\Rightarrow \qquad 4x + 2x = 180^{\circ}$$

$$\Rightarrow 6x = 180^0 \Rightarrow x = \frac{180^0}{6} = 30^0$$

## 12. In the given figure, find the value of y



Sol: Ray OP and OQ stands on line AOB

$$\therefore \qquad \angle AOQ + \angle QOP + \angle POB = 180^{\circ} [Linear pair axiom]$$

$$\Rightarrow$$
 3y + 40<sup>0</sup> + 2y = 180<sup>0</sup>

$$\Rightarrow 5y = 180^{0} - 40^{0} = 140^{0}$$


$$\Rightarrow y = \frac{140^{0}}{5} = 28^{0} \Rightarrow y = 28^{0}$$

# Next Generation School



13. If ray OC stands on line AB such that  $\angle AOC = \angle BOC$ , then show that  $\angle BOC = 90^{\circ}$ 

Sol: Ray OC stands on line AOB




$$\therefore \qquad \angle AOC + \angle BOC = 180$$

$$2\angle BOC = 180^{\circ} \ [\because \ \angle BOC = \angle AOC]$$

 $\Rightarrow$   $\angle BOC = 90^{\circ}$  Hence Proved.

# II. Multiple choice questions 6.2

1. In the given figure  $\angle 4$  and  $\angle 5$  are known as




- (a) alternate interior angles
- (b) alternate exterior angles
- (c) corresponding angles
- (d) interior angles on the same side of transversal

**Sol** : d

Next Generation School



2. In the given figure, the relation between line I and line m is



- (a) I∥ m
- (c) lines I and m, intersect when produced

**Sol** : a

- (b) I is not parallel to m
- (d) none of these
- 3. Line I is perpendicular to line m and line m is perpendicular to line n, the line I is \_\_\_\_ to line n
  - (a) parallel
- (b) perpendicular
- (d) intersecting
- (d) none of these

**Sol**: Given,  $1 \perp m$  and  $m \perp n$ 


So line I is parallel to line n,

: correct option is (a)

4. In the given figure,  $p \mid |q|$ , Find the value o  $\times$ .



[CBSE2010]



**Sol**: Since  $p \mid\mid q$  and r is transversal,

 $\therefore$  angle which the line r makes with line p is  $70^{\circ}$  (Corresponding angle)

and


$$2x + 70^0 = 180^0$$
 [Linear pair axiom]

 $\Longrightarrow$ 

$$2x + 110^0 \Rightarrow x + 55^0$$



5. In the given figure, if l||m| and  $\angle a: \angle b = 2:3$  then find the value of  $\angle y$ .



**Sol**: Given  $\angle a : \angle b = 2 : 3$ 

$$\Rightarrow$$

$$\frac{a}{b} = \frac{2}{3} = \frac{2k}{3k}$$

$$\rightarrow$$

$$a = 2k$$
 and  $b = 3k$ 

Now,  $\angle a : \angle b = 180^{\circ}$  [Linear pair axiom]

$$\Rightarrow$$

$$2k + 3k = 180^{\circ}$$

$$\Longrightarrow$$

$$5k = 180^0 \implies k = 36^0$$

$$\angle a = 2k = 2 \times 36^{\circ} = 72^{\circ}$$


Now,  $\angle a$  and  $\angle y$  are the alternate exterior angles,

$$\angle a = \angle y \text{ or } \angle y = \angle a = 72^0$$

6. If a transversal intersects a pair of lines in such a way that a pair of alternate angles are equal, then what conclusion would you like to draw?

**Sol**: By alternate interior angles theorem, we conclude that a pair of lines are parallel to each other.

7. If a line  $l \mid |m,n|$  is a transversal in the given figure, Find the value of x.




 ${\bf Sol}: l \mid\mid m$ , and n is transversal. Then sum of pair of interior adjacent angles on the same side of transversal is supplementary.

$$x + 80^{\circ} = 180^{\circ}$$

$$\Rightarrow$$
 x = 100°




## 8. Check whether I is parallel to m or not?



Sol: 
$$\angle 1 + 60^{\circ} = 180^{\circ}$$
 [Linear pair axiom]

$$\angle 1 = 180^{\circ} - 60^{\circ}$$

$$= 120^{\circ}$$




So from the figure, the corresponding angles which makes transversal n with I and m are not equal. Hence, I is not parallel to m.

# III. Multiple choice questions 6.3

- 1. What is common between the three angles of a triangle and a linear pair axiom?
  - (a) angles are equal
  - (b) in both cases, sum of angles is  $180^{\circ}$
  - (c) In triangle, there are three angles and in linear pair, there are two angles
  - (d) None of these

**Sol** : b

- 2. In the given figure,  $\angle 1 = \angle 2$  then the measurements of  $\angle 3$  and  $\angle 4$  respectively are
  - (a)  $58^{\circ}$ ,  $61^{\circ}$
- (b)  $61^0$ ,  $61^0$
- (c)119<sup>0</sup>,61<sup>0</sup>+
- (d) 119<sup>0</sup>,119<sup>0</sup>





**Sol**: From the figure,  $\angle 1 + \angle 2 + 58 = 180^{\circ}$  (Angle sum property of triangle]

But, given  $\angle 1 = \angle 2$ 

So 
$$\angle 1 + \angle 1 + 58^0 = 180^0$$

$$\Rightarrow$$
  $2 \angle 1 = 122^{\circ}$ 

$$\Rightarrow \qquad \angle 1 = \frac{122^0}{2} = 61^0$$

So, 
$$\angle 2 = 61^{\circ}$$

Now, 
$$\angle 3 = 58^0 + \angle 2$$


( · Exterior Angle Property)

$$= 58^{\circ} + 61^{\circ} = 119^{\circ}$$

Also, 
$$\angle 4 = 58^{\circ} + \angle 1$$
 ( : Exterior Angle Property)

 $\therefore$  Correct option is (d)

3. In the given figure, AB||CD, the value of x is



a)  $45^{\circ}$ 

b)  $60^{\circ}$ 

 $c)90^{0}$ 

d)  $105^{\circ}$ 

Sol: Given

 $AB \mid\mid CD$ ,

$$\Rightarrow$$
  $\angle BAE + \angle AED = 180^{\circ}$ 

(since Interior angles on the same side of the transversal are supplementary)

$$\Rightarrow 75^0 + \angle AED = 180^0$$

$$\Rightarrow$$
  $\angle AED = 105^{\circ}$ 

Also 
$$\angle AED = \angle CEF$$

( : Vertically opposite Angles)



$$\Rightarrow$$
  $\angle CEF = 105^{\circ}$ 

Now in  $\triangle$  CEF


$$\Rightarrow$$
  $\angle CEF + \angle EFC + \angle FCE = 180^{\circ}$ 

( : Angle sum property of a triangle )

$$\Rightarrow 105^0 + 30^0 + x = 180^0$$

$$\Rightarrow 135^0 + x = 180^0 \implies x = 45^0$$

∴ Correct option is (a)



a) 53°

b) 77°

c) 50°

d) 107°

Sol:

Since  $PQ \mid\mid RS$ , so

$$\Rightarrow$$
  $\angle PAC = \angle ACS$ 

( : Alternate interior angles )


$$\Rightarrow$$
  $\angle PAB = \angle BAC = 127^{\circ}$ 

$$\Rightarrow$$
 50° =  $\angle BAC = 127°$ 

$$\Rightarrow$$
  $\angle BAC = 77^{\circ}$ 

 $\therefore$  Correct option is (b)

#### 5. In the given figure, measure of $\angle QPR$ is



- a)  $10.5^{\circ}$
- b) 42<sup>0</sup>
- c)111<sup>0</sup>

d)  $50^{\circ}$ 

Sol: Using exterior angle property, we have

$$\angle TRS = \angle QTR + \angle TQR(In \Delta QTR)$$

And 
$$\angle PRS = \angle QPR + \angle PQR(In \Delta QPR)$$



$$\Rightarrow$$
  $2 \angle TRS = \angle QTR + 2 \angle TQR$ 

$$\Rightarrow \qquad 2(\angle TRS - \angle TQR) = \angle QTR .....(i)$$

Similarly, 
$$2(\angle TRS - \angle TQR) = 2\angle QTR$$
 .....(ii)

Hence, using (i) and (ii), we get

$$\angle QPR = 2\angle QTR$$


$$= 2 \times 21^0 = 42^0$$

- ∴ Correct option is (b)
- 6. Number of triangles which can be drawn with angles 420, 650 and 740 are
  - a) one triangle
- b) two triangles
- c) many triangles
- d) no triangle

- Sol: d) angle sum cannot be more than  $180^{\circ}$
- 7. A triangle can have two obtuse angles.
  - a) True
- b) False
- Sol: (b) angle sum cannot be more that 180°
- 8. An exterior angle of a triangle is 105° and its two interior opposite angles are equal. Each of these equal angles is [NCERT Exemplar]
  - a)  $37\frac{1}{2}^{0}$
- b) a)  $52\frac{1}{2}^{0}$
- c)  $72\frac{1}{2}^{0}$
- d) 75<sup>0</sup>

**Sol** : b


9. In the given figure, find the  $\angle x$ 





Sol: We have  $\angle QPR = \angle TPV$ 

....(Vertically opposite angles)



From exterior angle theorem,




$$\angle QPR + \angle PQR = \angle PRS$$

$$\Rightarrow$$
 30°+ x = 110°

$$\Rightarrow \qquad \qquad \mathsf{x} = 110^0 - 30^0$$

$$= 80^{\circ}$$

10. In the given figure,  $\angle EBC = 115^{\circ}$  and  $\angle DAB = 100^{\circ}$ . Find  $\angle ACB$ ,



Sol: From the figure,  $\angle EBC + \angle ABC = 180^{\circ}$ 

[Linear pair axiom]

$$\Rightarrow 115^0 + \angle ABC = 180^0$$

$$\Rightarrow$$
  $\angle ABC = 180^{\circ} - 115^{\circ} = 65^{\circ}$ 

Now, in  $\angle ABC$ ,  $\angle BAD = \angle ABC + \angle ACB$ 

[Exterior angle theorem]

$$\Rightarrow 100^{0} = 65^{0} + \angle ACB$$

$$\Rightarrow$$
  $\angle ACB = 100^{\circ} - 65^{\circ} = 35^{\circ}$ 

Hence, 
$$\angle ACB = 35^{\circ}$$

11. The angle of a triangle ABC are in the ratio 2: 3: 4 Find the largest angle of the triangle.

[CBSE 2016]

Sol: Given 
$$\angle A: \angle B: \angle C=2:3:4$$

Let 
$$\angle A = 2x$$
,  $\angle B = 3x$ ,  $\angle C = 4x$ 

Using angle sum property of a triangle, we have

$$\angle A + \angle B + \angle C = 180^{\circ}$$

$$\Rightarrow 2x + 3x + 4x = 180^{\circ}$$

$$\Rightarrow \qquad 9x = 180^{\circ}$$



$$\Rightarrow \qquad x = 20^{0}$$


$$\therefore \qquad \angle A = 2x = 2 \times 20^{0} = 40^{0}$$

$$\angle B = 3x = 3 \times 20^{0} = 60^{0}$$

$$\angle C = 4x = 4 \times 20^0 = 80^0$$

Hence largest angle of the triangle is  $80^{\circ}$ 

12. In the given figure, find the value of x.



Sol : We know that sum of exterior angle of  $\Delta PQR$  is  $360^{\rm o}$ 


$$\Rightarrow 130^0 + x + 115^0 = 360^0$$

$$\Rightarrow 245^0 + x = 360^0$$

$$\Rightarrow \qquad x = 360^0 - 245^0 = 115^0$$

# I. Short Answer Type

1. In the given figure, if x is greater than y by one third of a right angle, find the values of x and y.



Sol: 
$$x = \frac{1}{3} x 90^0 + y$$
 (Given)

$$\Rightarrow$$
  $x = 30^0 + y$ 

Now,  $\angle AOC + \angle BOC = 180^{\circ}$  [Linear pair axiom]




$$\Rightarrow$$
  $x + y = 180^{\circ} \Rightarrow 30^{\circ} + y + y = 180^{\circ}$ 

$$\Rightarrow 2y = 150^0 \Rightarrow y = \frac{150^0}{2} = 75^0$$

So, 
$$x = 30^0 + y = 30^0 + 75^0 = 105^0$$

2. Lines I and m intersect at O, if  $x = 45^{\circ}$ , find y, z and u.



Sol:  $\angle x$  and  $\angle z$  are vertically opposite angles

$$\therefore \qquad \angle x = \angle z = 45^0 \implies \angle z = 45^0$$

But x and y are linear pair angles

So, 
$$\angle x + \angle y = 180^{\circ}$$
 [Linear pair axiom]

$$\Rightarrow$$
 45° +  $\angle y = 180^{\circ} \Rightarrow \angle y = 180^{\circ} - 45^{\circ} = 135^{\circ}$ 

Also,  $\angle y$  and  $\angle u$  are vertically opposite angles

$$\therefore \qquad \angle u = \angle y = 135^0 \implies \angle u = 135^0$$

Hence, 
$$\angle z = 45^{\circ} \angle y = 135^{\circ} \text{ and } \angle u = 135^{\circ}$$

# II. Short Answer Type

# 1. Find the value of x and y in the given figure, if $l \mid\mid m \text{ and } p \mid\mid q$ .


Sol: As  $l \mid \mid m$  and line p is transversal

So, 
$$x = 100^{\circ}$$
 [Corresponding angles]

Now, 
$$z = 80^{\circ}$$
 [Vertically opposite angle


But, 
$$y = 180^{\circ}-z$$
 [Corresponding angles]

$$\therefore$$
 y =  $180^{\circ}$  -  $80^{\circ}$  =  $100^{\circ}$ 





2. In the given figure,  $AB \mid\mid CD, \angle 2 = 120^0 + x$  and  $\angle 6 = 6x$ . Find the measure of  $\angle 2$  and  $\angle 6$ 



Sol: Given AB || CD,

$$\Rightarrow$$
  $\angle 2 = \angle 6$  (Corresponding angles)

$$\Rightarrow$$
 120<sup>0</sup> +  $x = 6x$  [ $\angle 2 = 120 + x$ ]


$$\Rightarrow 120^0 = 6x - x = 5x$$

$$\Rightarrow \qquad x = \frac{120^0}{5} = 24^0$$

$$\angle 2 = 120^{0} + x = 120^{0} + 24^{0} = 144^{0}$$

And 
$$\angle 6 = 6x = 6 \times 24^0 = 144^0$$

3. In the given figure, if  $| \mathbf{l} | \mathbf{n}$ , find the value of x



Sol: Draw a line 'n' through O such that  $n \mid\mid l$  and  $n \mid\mid m$ .

As  $l \mid\mid n$ , OP is transversal.

$$\Rightarrow$$
  $\angle 1 = 35^{\circ}$  (Alternate interior angles)

Also, n | m, OQ is transversal

$$\angle 2 = 40^{\circ}$$
 (Alternate interior angles)

$$\therefore \qquad \angle POQ = \angle 1 + \angle 2 = 35^{0} + 40^{0} = 75^{0}$$


So,  $x = \text{reflex } \angle POQ$ 

$$= 360^{\circ} - \angle POQ = 360^{\circ} - 75^{\circ} = 285^{\circ}$$



## III. Short Answer Type

1. Lines  $l \mid\mid m$  and  $p \mid\mid q$  in the given figure, then find the value of a,b,c, and d.



**Sol** : Given  $l \mid\mid m$  and p is transversal

$$\Rightarrow \qquad \qquad a + 60^0 = 180^0$$

(Co - interior angles on the same side of transversal)

$$\Rightarrow$$
  $a = 120^{\circ}$ 

But p||q [Given]

$$\Rightarrow$$
  $c = a = 120^{\circ}$  (Corresponding angles)


And 
$$c = b$$
 (Alternate interior angles as  $l||m$ )

$$\Rightarrow$$
  $b = 120^{\circ}$ 

Also, 
$$c + d = 180^{\circ}$$
 [Linear pair axiom]

$$\Rightarrow \qquad d = 180^0 - c = 180^0 - 120^0 = 60^0$$

2. In the given figure,  $n \mid \mid m$  and  $p \mid \mid q$  of  $\angle 1 = 75^0$ , prove that  $\angle 2 = \angle 1 + \frac{1}{3}$  of a right angle.



tion School



**Sol** : Given  $\angle 1 = 75^{\circ}$ 

Now, m||n and p is transversal

$$\Rightarrow$$
  $\angle 1 + \angle 3 = 180^{\circ}$  (Co - interior angles)

$$\Rightarrow 75^0 + \angle 3 = 180^0$$


$$\Rightarrow \qquad \angle 3 = 180^0 - 75^0 = 105^0$$

Now p||q and m is transversal

$$\Rightarrow \qquad \angle 2 = \angle 3 = 105^{\circ} \text{ (Corresponding angles)}$$
$$= 75^{\circ} + 30^{\circ} = 75^{\circ} + \frac{1}{3} \times 90^{\circ}$$
$$\angle 2 = \angle 1 + \frac{1}{3} \times right \ angle.$$

Hence, Proved

# 3. In the given figure, $\angle 1=55^{\circ}$ , $\angle 2=20^{\circ}$ , $\angle 3=35^{\circ}$ and $\angle 4=145^{\circ}$ . Prove that AB||CD|



**Sol**: We have,  $\angle BMN = \angle 2 + \angle 3 = 20^{0} + 35^{0} = 55^{0}$ 

$$\angle 1 = \angle ABM$$

But these are the alternate angles formed by transversal BM on AB and MN.

So, by converse of alternate interior angles theorem,

Now 
$$\angle 3 + \angle 4 = 35^{\circ} + 145^{\circ} = 180^{\circ}$$

This shows that sum of the co-interior angles is  $180^{\circ}$ 

From (i) and (ii), we have  $AB \parallel CD$ . Hence proved.



# IV. Short Answer Type

1. Two angles of triangle are equal and the third angle is greater than each of these angles by  $30^{\circ}$  Find all the angles of the triangle.

**Sol**: Let each of the two equal angles be x. According to the question,

third angle = 
$$x + 30^{\circ}$$

Now, sum of angles of  $\Delta = 180^{\circ}$ 

[Angle sum property of a triangle]

$$\Rightarrow x + x + x + 30^0 = 180^0$$

$$\Rightarrow 3x = 180^0 - 30^0 = 150^0$$

$$\Rightarrow \qquad \qquad x = \frac{150^{\circ}}{3} = 50^{\circ}$$

Thus, angles of triangle are 50°, 50° and 80° respectively.

2. One of the angles of triangle is  $75^0$ , find the remaining two angles if their difference is  $35^0$ .

**Sol**: Let in  $\triangle$  ABC , $\angle A = 75^{\circ}$  and  $\angle B - \angle C = 35^{\circ}$ 

$$\Rightarrow \qquad \angle B = \angle C + 35^{\circ}$$

Now, 
$$\angle A + \angle B + \angle C = 180^{\circ}$$

(Angle sum property of a triangle)

$$\Rightarrow 75^0 + \angle C + 35^0 + \angle C = 180^0$$

$$\Rightarrow 110^{0} + 2 \angle C = 180^{0}$$

$$\Rightarrow$$
 2  $\angle C = 180^{\circ} - 110^{\circ} = 70^{\circ}$ 

$$\Rightarrow \qquad \angle C = \frac{70^{\circ}}{2} = 35^{\circ}$$

And 
$$\angle B = \angle C + 35^{\circ}$$

$$= 35^{0} + 35^{0} = 70^{0}$$



3. Prove that if one angle of a triangle is equal to the sum of the other two angles, then the triangle is right angled.

**Sol** : Given : In 
$$\triangle ABC$$
 ,  $\angle A = \angle B + \angle C$ 

Now, 
$$\angle A + \angle B + \angle C = 180^{\circ}$$

(Angle sum property of a triangle)

$$\Rightarrow$$
  $\angle A + (\angle B + \angle C) = 180^{\circ}$ 

$$\Rightarrow$$
  $\angle A + \angle A = 180^{\circ}$ 

$$\Rightarrow \qquad 2 \angle A = 180^{\circ}$$

$$\Rightarrow \qquad \angle A = \frac{180^{\circ}}{2} = 90^{\circ}$$

Hence, with  $\angle A = 90^{\circ}$  the given triangle is right angled triangle.

4. The exterior angles obtained on producing the base of a triangle both ways are  $100^0$  and  $120^0$ , Find all the angles. [CBSE 2011]

**Sol**: In 
$$\triangle ABC$$
,  $\angle ABE + \angle ABC = 180^{\circ}$ 

[Linear pair axiom]

$$\Rightarrow 100 + \angle ABC = 180^{\circ}$$

$$\Rightarrow \qquad \angle ABC = 180^{0} - 100^{0} = 80^{0}$$

Similarly,  $\angle ACB + \angle ACD = 180^{\circ}$ 

[Linear pair axiom]

$$\Rightarrow \qquad \angle ACB + 120^{\circ} = 180^{\circ}$$

100

$$\Rightarrow$$
  $\angle ACB = 180^{\circ} - 120^{\circ} = 60^{\circ}$ 

Now, again in  $\triangle ABC$ ,

$$\angle ABC + \angle ACB + \angle BAC = 180^{\circ}$$
 (Angle sum property of triangle)

$$\Rightarrow$$
 80° + 60° +  $\angle BAC = 180°$ 


$$\Rightarrow \angle BAC = 180^{0} - 140^{0} = 40^{0}$$

Hence, 
$$\angle BAC = 40^{\circ}, \angle ABC = 80^{\circ}$$

and 
$$\angle ABC = 60^{\circ}$$



5. In the given figure, if  $AB \parallel CD \angle APQ = 60^{\circ}$  and  $\angle PRD = 137^{\circ}$ , then find the value of x and y [CBSE 2010]



**Sol**: Given  $AB \parallel CD$ ,

PQ is transversal

$$\Rightarrow$$
  $\angle APQ = \angle PQR$  [Alternate interior angles]

$$\Rightarrow$$
 60° =  $x$ 

Again in △ PQR, exterior angle is ∠PRD

So, 
$$\angle PRD = \angle PQR + \angle QPR$$


[: Exterior angle theorem]

$$\Rightarrow 137^0 = x + y$$

$$\Rightarrow 137^0 = 60^0 + y$$

$$\Rightarrow y = 137^0 - 60^0 = 77^0$$


6. In the given figure, side BC of  $\triangle$ ABC is produced in both the directions. Prove that the sum of two exterior angles so formed is greater than  $180^{\circ}$ .



**Sol**: The exterior angles in the given  $\triangle ABC$  are  $\angle ABE$  and  $\angle ACD$ 



To prove  $\angle ABE + \angle ACD > 180^{\circ}$ 





Proof: In \( \Delta ABC \)

$$\angle 5 = \angle 1 + \angle 3$$
 .....(i)

(Exterior angle theorem)

and 
$$\angle 4 = \angle 1 + \angle 2$$
 ....(ii)

Adding (i) and (ii) we get

$$\angle 4 + \angle 5 = \angle 1 + \angle 3 + \angle 1 + \angle 2$$

$$= \angle 1 + (\angle 1 + \angle 2 + \angle 3)$$

$$= \angle 1 + 180^{0}$$
 [Angle sum property of a triangle]


 $\angle 4 + \angle 5 = 180^{\circ}$  Hence proved.

## V. Short Answer Type

1. In  $\triangle$  ABC, the bisector of  $\angle$  B and  $\angle$  C meets at O. Prove that  $\angle$  BOC =  $90^{\circ} + \frac{\angle A}{2}$ 

[CBSE 2014]

**Sol** : Given the bisector of  $\angle$  B and  $\angle$  C of  $\triangle$ ABC meets at O as shown in figure.



OB is bisector of  $\angle B$ 

$$\Rightarrow \qquad \angle 1 = \angle 2 = \frac{1}{2} \angle ABC = \frac{1}{2} \angle B$$

Similarly, OC is bisector of  $\angle C$ 

Now in  $\triangle ABC$ ,

$$\angle A + \angle B + \angle C = 180^{\circ}$$

[Angle sum property of a triangle]



$$\Rightarrow$$
  $\angle B + \angle C = 180^{\circ} - \angle A$ 

$$\Rightarrow \frac{1}{2} \angle B + \frac{1}{2} \angle C = 90^0 - \frac{\angle A}{2}$$

$$\angle 2 + \angle 3 = 90^{\circ} - \frac{\angle A}{2}$$
 .....(i)

In ∠ BOC

$$\angle$$
 OBC +  $\angle$  BOC +  $\angle$  BCO =  $180^{\circ}$ 

[Angle sum property of a triangle]

$$\Rightarrow \qquad \angle 2 + \angle BOC + \angle 3 = 180^{\circ}$$

$$\Rightarrow \qquad (\angle 2 + \angle 3) + \angle BOC = 180^{\circ}$$

$$\Rightarrow 90^{0} - \frac{\angle A}{2} + \angle BOC = 180^{0}$$


$$\Rightarrow \qquad \angle BOC = 180^{0} - 90^{0} + \frac{\angle A}{2}$$

$$\Rightarrow \qquad \angle BOC = 90^0 + \frac{\angle A}{2}$$

Hence proved.

2. The sides EF, FD and DE of a triangle DEF are produced in order forming three exterior angles DFP, EDQ and FER respectively. Prove that

$$\angle DFP + \angle EDQ + \angle FER = 360^{\circ}$$



Sol: By using exterior angle theorem, we have

$$\angle 4 = \angle 1 + \angle 2$$

$$\angle 5 = \angle 2 + \angle 3$$

and  $\angle 6 = \angle 1 + \angle 3$ 

.... (iii)

Adding (i), (ii) and (iii), we get

$$\angle 4 + \angle 5 + \angle 6 = (\angle 1 + \angle 2) + (\angle 2 + \angle 3) + (\angle 1 + \angle 3)$$





$$= 2 (\angle 1 + \angle 2 + \angle 3)$$

= 
$$2 \times 180^{\circ}$$
 (:  $\angle 1 + \angle 2 + \angle 3 = 180^{\circ}$ )


$$= 360^{0}$$

(Angle sum property of a triangle)

$$\Rightarrow$$
  $\angle$ DFP +  $\angle$ EDQ +  $\angle$ FER =  $360^{\circ}$ 

Hence Proved.

3. Side QR of  $\triangle$  PQR is produced to a point S as shown in the figure. The bisector of  $\angle$  P meets QR at T. Prove that  $\angle$ PQR +  $\angle$ PRS = 2  $\angle$ PTR.



**Sol**:  $\angle PRS$  is the exterior of  $\triangle PQR$ 

$$\therefore \qquad \angle PRS = \angle QPR + \angle PQR$$

[Exterior angle theorem]

Adding ∠ PQR on both sides, we get

[PT is bisector of 
$$\angle P$$
 ::  $\angle TPQ = \frac{1}{2} \angle QPR$ ]

$$\angle$$
 PQR +  $\angle$  PRS =  $\angle$ PQR +  $2\angle$ TPQ +  $\angle$ PQR


$$= 2 (\angle TPQ + \angle PQR) \dots (i)$$

Now in  $\triangle$  PTQ,  $\angle$ PTR is exterior angle

$$\angle PTR = \angle TPQ + \angle PQR$$
) .....(ii)


Thus from (i) and (ii), we get

Hence proved.





4. In the given figure, AB and CD are two parallel lines intersected by a transversal EF. Bisector of interior angles BPQ and DQP intersect at R. Prove that  $\angle$ PRQ =  $90^{\circ}$ 



Sol: Given AB || CD and EFis transversal

$$\therefore \qquad \angle BPQ + \angle DQP = 180^{\circ}$$

(Interior angles on the same side of transversal is supplementary)

$$\Rightarrow \frac{1}{2} \angle BPQ + \frac{1}{2} \angle DQP = 180^{0} \times \frac{1}{2} = 90^{0} \dots (i)$$

Now, PR is the bisector  $\angle BPQ$ 

$$\Rightarrow$$
  $\angle RPQ = \frac{1}{2} \angle BPQ$ 

and QR is the bisector  $\angle DQP$ 

$$\Rightarrow$$
  $\angle P QR = \frac{1}{2} \angle DQP$ 

From (i), we have  $\angle RPQ + \angle PQR = 90^{\circ}$  .....(ii)

In
$$\triangle PQR$$
,  $\angle RPQ + \angle PQR + \angle PRQ = 180^{\circ}$ 

(Angle Sum property of a triangle)

$$\Rightarrow 90^0 + \angle PRQ = 180^0$$

$$\Rightarrow \qquad \angle PRQ = 180^0 - 90^0 = 90^0$$

Hence Proved.







## 1. Long Answer Type

1. In the given figure, bisectors of the exterior angles B and C formed by producing sides AB and AC of  $\triangle$ ABC intersect each other at the point O.

Prove. That  $\angle BOC = 90^0 - \frac{1}{2} \angle A$ 





Sol : Ray BO is the bisector of ∠CBE

$$\Rightarrow \qquad \angle 4 = \angle 5 = \frac{1}{2} \angle CBE$$

Now,  $\angle 2 + \angle 4 + \angle 5 = 180^{\circ}$  [Linear pair axiom]

$$\Rightarrow \qquad \angle 2 + 2 \angle 4 = 180^{\circ}$$

$$(\because \angle 4 = \angle 5)$$

$$\Rightarrow$$

$$\angle 4 = 90^0 - \frac{\angle 2}{2}$$

Similarly, ray OC bisect ∠BCD

$$\angle 6 = \frac{1}{2} \angle BCD = \frac{1}{2} 180^0 - \angle 3$$

$$= 90^{\circ} - \frac{23}{2}$$

Now, in ∠BOC

$$\angle 4 + \angle 6 + \angle 8 = 180^{\circ}$$

(Angle Sum property of a triangle)



$$\Rightarrow \left(90^{0} - \frac{\angle 2}{2}\right) + \left(90^{0} - \frac{\angle 3}{2}\right) + \angle 8 = 180^{0}$$

$$\Rightarrow \angle 8 = \frac{1}{2}(\angle 2 + \angle 3) \qquad \dots (iii)$$

Again in  $\triangle$  ABC

$$\angle 1 + \angle 2 + \angle 3 = 180^{\circ}$$

(Angle Sum property of a triangle)

$$\Rightarrow \qquad \angle 2 + \angle 3 = 180^0 - \angle 1$$

Substituting in (iii) we get


$$\angle 8 = \frac{1}{2}(180^{0} - \angle 1)$$

$$\Rightarrow \angle 8 = 90^0 - \frac{\angle 1}{2}$$

Or 
$$\angle BOC = 90^{0} - \frac{\angle BAC}{2}$$
 or  $\angle BOC$   
=  $90^{0} - \frac{1}{2} \angle A$ 

Hence, proved.

2. Side, BC, CA and BA of triangle  $\triangle$  ABC produced to D, Q, P respectively as shown in the figure. If  $\angle$ ACD =  $100^{0}$  and  $\angle$ QAP =  $35^{0}$  find all the angles of a triangle. [CBSE 2014]



Sol: We have

$$\angle BAC = \angle QAP$$


[Vertically opposite angles]

$$\Rightarrow \angle BAC = 35^{\circ}$$

.... (Given that  $\angle QAP = 35^{\circ}$ )

Also,  $\angle ACB + \angle ACD = 180^{\circ}$ 

[Linear pair axiom]





$$\Rightarrow$$
  $\angle ACB + 100^{\circ} = 180^{\circ}$ 

$$\Rightarrow \angle ACB = 180^{\circ} - 100^{\circ} = 80^{\circ}$$

In  $\triangle ABC$ ,

$$\angle ABC + \angle ACB + \angle BAC = 180^{\circ}$$

(Angle Sum property of a triangle)


$$\angle ABC + 80^{\circ} + 35^{\circ} = 180^{\circ}$$

$$\angle ABC + 115^0 = 180^0$$

$$\Rightarrow \angle ACB = 180^{\circ} - 115^{\circ} = 65^{\circ}$$

Hence,  $\angle ABC = 65^{\circ} + \angle BAC = 35^{\circ}$  and  $\angle ACB = 80^{\circ}$ 

# 3. In the given figure, $AB \mid\mid DC$ , $\angle$ BDC = $35^{\circ}$ and $\angle$ BAD = $80^{\circ}$ , Find x, y, z



**Sol**: Given AB||DC

BD is transversal

$$\Rightarrow$$
  $x = 35^{\circ}$  [Alternate interior angles]

In  $\triangle ABD$ ,  $\angle ABD + \angle ADB + \angle BAD = 180^{\circ}$ 

(Angle Sum property of a triangle)

$$\Rightarrow$$
  $x + y + 35^0 = 180^0$ 

$$\Rightarrow$$
 35° + y + 80° = 180° (:  $x = 35°$ )

$$y = 180^{0} - 115^{0} = 65^{0}$$

$$\angle DBC = y - 30^{\circ} = 65^{\circ} - 30^{\circ} = 35^{\circ}$$

Again in  $\Delta BCD$ 

$$\angle DBC + \angle BCD + \angle CDB = 180^{\circ}$$



(Angle Sum property of a triangle)

$$\implies 35^0 + z + 35^0 = 180^0$$

$$\Rightarrow \qquad z = 180^0 - 70^0 = 110^0$$

Hence,  $x = 35^{\circ}$ ,  $y = 65^{\circ}$ , and  $z = 110^{\circ}$ 



Next Generation School